Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

	# # ½
7	
	- 3
	- 1





CRONAMERE ALPINE NURSERIES


INC.


Continuous Bloom in the Rock Garden

Acclimatized Plants____

 \mathcal{S} hore Road

Greens Farms
Connecticut





Cronamere Alpine Nurseries, Inc.

SHORE ROAD, GREENS FARMS, CONN.
TELEPHONE FAIRFIELD 1329

FOREWORD






ACH AND EVERY YEAR is one of enthusiastic interest and hopeful anticipation to the alpine gardener. Past disappointments are quickly forgotten in the joy of new revelations of beauty and charm. This year our catalogue lists a wealth of plant material with which to beautify your gardens;

rock and alpine plants from the high elevations of mountains and plains throughout the world.

"Why thus sighing, thus forever longing For the far off unattained and dim While the beautiful all 'round thee lying Offers up its low perpetual hymn?"

We wish to take this opportunity to express our sincere appreciation to the many gardening friends who have helped to make Cronamere Alpine Nurseries a success. In this catalogue there are many species and varieties of alpine and rock plants of great beauty. Many of these plants have never before been listed in this country. A cordial invitation is extended to you to visit our rock gardens. Garden Clubs are asked to notify us a week in advance in order that a day may be reserved. It will be of interest to those who were here during 1933 to see the new additions which have been made in our rock and wall gardens.





The Rock Garden in July

INDEX

	Page		Page
Abelia Grandiflora	36	Anemone Blanda Rosea	15
Acaena Argentea	55	Anemone Coronaria Empress	54
Acaena Glauca	55	Anemone Hupehensis	52
Acaena Microphylla	55	Anemone Patens	4
Acaena Novae Zealandiae	55	Anemone Pulsatilla	25
Acaena Ovalifolia	55	Anemone Sylvestris	4
Acaena Pinnatifida	55	Antennaria Canadensis	4
Acaena Sanguisorbae	41	Antennaria Obovata	15
Acanthophyllum Spinosum .	31	Antennaria Rosea Nana	15
Achillea Ageratum	52	Anthemis Macedonica	32
Achillea Nana	4	Antirrhinum Glutinosum	32
Achillea Argentea	4	Antirrhinum Rock	
Achillea Tomentosa	9	Garden Hybrids	54
Achillea Tomentosa Alba	4	Aquilegia Caerulea	25
Achillea Tomentosa Aurea .	9	Aquilegia Canadensis	16
Aconitum Fisheri	53	Aquilegia Flabellata Nana	4
Aconitum Wilsoni	5 3	Aquilegia Glandulosa	26
Aethionema Armenum	15	Aquilegia Hybrids	54
Aethionema Coridifolium	15	Aquilegia Jucunda	26
Aethionema Pulchellum	15	Aquilegia Pyrenaica	41
Aethionema Warley Hybrid	15	Aquilegia Vulgaris	54
Agapanthus Mooreanus	41	Arabis Albida Rosea	16
Ajuga Reptans	31	Arabis Alpina	4
Ajuga Reptans Variegata	25	Arabis Alpina Fl. Pl	4
Allium Flavum	34	Arabis Alpina Nana	•
Alyssum Alpestre	10	Compacta	4
Alyssum Idaeum	10	Arabis Alpina Rosea	16
Alyssum Rochellii Major	10	Arabis Procurrens	4
Alyssum Rostratum	10	Arctostaphylos Uva Ursi	4
Alyssum Saxatile Citrinium.	10	Arenaria Balearica	4
Alyssum Saxatile Compactum	10	Arenaria Grandiflora	4
Alyssum Saxatile	-0	Arenaria Laricifolia	
Compactum Fl. Pl	10	Arenaria Montana	4
Alyssum Serpyllifolium	10	Arenaria Verna Caespitosa.	32
Alsine Liniflora	4	Armeria Caespitosa	16
Amphicarpa Monoica	36	Armeria Cephalotes Rubra.	36
Anaphalis Trifolinervis	31	Armeria Laucheana	16
Anchusa Myosotidiflora	25	Armeria Maritima	16
Androsace Laggeri	15	Arnica Montana	34
Androsace Lanuginosa	36	Artemisia Frigida	34
Androsace Lanuginosa	30	Aster Alpinus	26
Leichtlinii	32	Aster Alpinus Albus	4
Androsace Maxima	4	Aster Alpinus Dark Beauty.	26
Androsace Primuloides	25	Aster Alpinus Nancy Perry .	26
Androsace Sarmentosa	25 15	Aster Andersonii	41
Androsace Sarmentosa	13	Aster Grandiflorus	53
	15	Aster Kumleinii	53
Watkinsii	25	Aster Little Boy Blue	41
Androsace Vitaliana	23 10	Aster Mauve Cushion	52
Anemone Blanda	25	Aster Patens	
Aucinone Dianua	4 3	Maici Faicila	41

П.			
INDEX (CONTINUED)	age	P	age
Aster Pleiades	53	Campanula Garganica	42
Aster Stracheyi	41	Campanula Garganica	
Aster Subcaeruleus	41	Hirsuta	42
Aster Subcaeruleus		Campanula Glomerata Acaulis	42
Leichtlinii	41	Campanula Istriaca	42
Aster Trichiphalus	41	Campanula Latifolia	42
Astilbe Chinensis	36	Campanula Leutweinii	42
Astilbe Chinensis Pumilio	37	Campanula Longifolia	42
Astilbe Simplicifolia	4	Campanula Macrorrhiza	42
Atragene Alpina	26	Campanula Marchessetti	42
Aubrietia Hybrids	54	Campanula Mixed	54
Azalea Amoena	16	Campanula Muralis	42
Azalea Obtusa Japonica	16	Campanula Norman Grove	
		Šeedling	42
Bellis Integrifolia	34	Campanula Persicifolia	42
Bellis Longfellow	54	Campanula Petiolata	42
Bellis Perennis	54	Campanula Pilosa	42
Bellis Rotundifolia		Campanula Pseudo-Raineri .	42
Caerulescens	26	Campanula Pulla	42
Bellium Bellidioeides	5	Campanula Pulloides	42
Bellium Minutum	5	Campanula Pusilla	42
Bellium Nivale	5	Campanula Pusilla Alba	32
Berberis Concinna	55	Campanula Pusilla Lissadell	42
Boltonia Latisquama Nana .	37	Campanula Raineri	42
Borago Laxiflora	41	Campanula Robsonii	42
Bruckenthalia Spiculifolia	16	Campanula Rotundifolia	43
_ · · · · · · · · · · · · · · · · · · ·	-0	Campanula Rotundifolia	
Callirhoe Involucrata	37	Var. Olympica	43
Calluna Vulgaris	16	Campanula Sarmatica	43
Caltha Palustris	10	Campanula Saxatilis	43
Campanula Abietina	41	Campanula Speciosa	43
Campanula Alliariaefolia	32	Campanula Subpyrenaica	43
Campanula Allioni	41	Campanula Thessalica	43
Campanula Amabilis	41	Campanula Thrysoides	
Campanula Caespitosa	41	Carniolica	43
Campanula Carpatica	41	Campanula Turbinata	43
Campanula Carpatica	1.1	Campanula Vidallii	32
Grandiflora	32	Cerastium Tomentosum	5
Campanula Carpatica	02	Cheiranthus Allioni	34
Ditton Blue	41	Cheiranthus Vulcan Improved	37
Campanula Carpatica	-11	Chionodoxa Luciliae	54
Porcelain Blue	41	Chrysanthemum Alpinum	51
Campanula Carpatica	71	Chrysanthemum Articum	51
Riverslea	41	Chrysanthemum Coreanum	51
Campanula Carpatica	71	Chrysopsis Villosus	34
White Star	32	Commelina Crispa	43
Campanula Carpatica	34	Convolvulus Mauritanicus	43
Wisley Var.	41	Convolvulus Nuttallianus	37
Campanula China Cup	41	Coronilla Iberica	34
Campanula Collina	42	Corydalis Cheilanthifolia	11
Campanula Excisa	42 42	Corydalis Lutea	11
Campanula Fenestrellata	42 42	Cotoneaster Dammeri	5
-ampanaia i circoti ciiata	74	Coloridatel Dallillell	J

INDEX (CONTINUED)	Page	I	Page
Cotoneaster Dammeri		Dianthus Squarrosus	5
Radicans	. 5	Dianthus Sundermannii	5
Cotula Squalida		Dianthus Superbus	26
Cotyledon Simplicifolia	11	Dianthus Sylvestris	17
Cracca Virginica		Dianthus Waldsteinii	17
Crawfurdia Trinervis	43	Dicentra Eximea	37
Crocus Speciosus		Dicentra Formosa	37
Crucianella Stylosa	16	Dicentra Oregana Glauca	5
Cyanathus Longiflorus		Dipsacus Inermis	5
Cyclamen Europaeum		Doronicum Caucasicum	11
Cyclamen Neapolitanum		Doronicum Clusii	11
Cytisus Hirsutus		Doronicum Mme. Mason	11
Cytisus Multiflorus		Douglasia Vitaliana	11
Cytisus Scoparius		Draba Fladnizensis	5
-		Draba Gracilis	11
Daphne Cneorum	16	Draba Hirta	5
Dasystephana Porphyrio		Draba Johannis	5
Delphinium Cashmirianum		Draba Olympica	11
Delphinium Chinense	43	Draba Pyrenaica	26
Delphinium Nudicaule	16	Dracocephalum Japonicum .	43
Delphinium Tatsiense	43	Dracocephalum Speciosum .	43
Delphinium Tom Thumb	43	Dryas Octopetala	5
Dianthus Alpinus	16	Dryas Sundermanni	5
Dianthus Alpinus Carmineus	s 16	•	
Dianthus Alwoodii	54	Echinacea Angustifolia	26
Dianthus Arvernensis		Edraianthus Pumilio	44
Dianthus Beatrix		Edraianthus Pumiliorum	26
Dianthus Campestris		Edraianthus Tenuifolius	44
Dianthus Carthusianorum		Epigaea Repens	18
Dianthus Cruentus		Epilobium Amplectens	44
Dianthus Deltoides Albus		Epilobium Hectori	32
Dianthus Deltoides		Epilobium Macropus	44
Bowles Variety	17	Epilobium Roseum	37
Dianthus Deltoides	- . ,	Epimedium Mixed	55
Brilliant	17	Epimedium Violaceum	26
Dianthus Deltoides Utrecht	17	Eranthis Hyemalis	52
Dianthus Frigidus		Erica Carnea	53
Dianthus Graniticus	$\overline{17}$	Erica Carnea Alba	51
Dianthus Japonica		Erica Carnea Rosea	53
Grandiflora	17	Erica Compacta Nana	18
Dianthus Montanus		Erica Mediterranea	18
Dianthus Monticola		Erica Stricta	44
Dianthus Neglectus	37	Erica Tetralix	18
Dianthus Petraeus		Erica Vagans	37
Dianthus Plumarius		Erica Vagans Alba	32
Dianthus Plumarius		Erica Vulgaris	18
Highland Queen	37	Erica Vulgaris Aurea	26
Dianthus Richardi	17	Erica Vulgaris Searlei	5
Dianthus Roysii		Erigeron Alpinus	37
Dianthus Seguieri	37	Erigeron Caucasicus	44
Dianthus Spiculifolius		Erigeron Compositus	44

INDEX (CONTINUED)	Page	1	Page
Erigeron Elatior	44	Genista Sagittalis	11
Erigeron Glabellus		Gentiana Acaulis	26
Erigeron Glaucus	44	Gentiana Altaica	46
Erigeron Hybridus	40	Gentiana Andrewsii	46
Erigeron Macranthus		Gentiana Lagodechiana	46
Erigeron Mesa Grande		Gentiana Phlogifolia	46
Erigeron Mucronatus		Gentiana Purdomi	46
Erigeron Multiradiatus		Gentiana Rochellii	46
Erigeron Multiradiatus		Gentiana Saponaria	46
Roseus	37	Gentiana Septemfida	46
Erigeron Pumilus		Gentiana Walujewi	6
Erigeron Salsuginosus		Geoprumnon Crassicarpum.	44
Erigeron Trifidus		Geranium Argenteum	18
Erigeron Uniflorus	44	Geranium Cinereum	38
Erinus Alpinus	26	Geranium Ibericum	26
Eriogonum Crassifolium		Geranium Lancastriense	18
Eriophyllum Caespitosum		Geranium Macrorrhizum	18
Erodium Amanum		Geranium Pratense	46
Erodium Chamaedryoides	3	Geranium Pyrenaicum	46
Roseum	38	Geranium Sanguineum	18
Erodium Macradenum		Geranium Sanguineum Album	32
Erodium Manescavi			JL
		Geranium Sanguineum Lancastriense	18
Erodium Supracanum		Geranium Sessiliflorum	6
Erodium Trichomanefolium .			46
Erythraea Diffusa Massoni		Geranium Wallichianum	12
Euonymus Japonicus Aureus		Geum Borisii	12
Euonymus Kewensis		Geum Chiloense	20
Euonymus Radicans Acutus	56	Atrosanguineum	38
Euonymus Radicans		Geum Ciliatum	12
Variegatus		Geum Fire Opal	38
Euonymus Speciosus		Geum Heldreichii	12
Euonymus Speciosus		Geum Lady Stratheden	
Var. Silver Queen		Geum Montanum	12
Euphorbia Cyparissias		Geum Orange Queen	12
Euphorbia Myrsinites		Geum Sibiricum	12
Euphorbia Polychroma	11	Globularia Bellidifolia	46
		Globularia Nudicaulis	46
Felicia Petiolata Rosea		Globularia Tricosantha	46
Festuca Glauca		Goodyera Pubescens	6
Fuchsia Gracilis	38	Gutierrezia Sarothrae	34
		Gypsophila Acutifolia	38
Galanthus Nivalis	51	Gypsophila Cerastioides	6
Galpinsia Lavendulaefolia	34	Gypsophila Fratensis	18
Gaultheria Procumbens		Gypsophila Repens	32
Gaura Coccinea		Gypsophila Repens Rosea	18
Genista Kewensis	6	Gypsophila Rokejeka	38
Genista Praecox			
Genista Prostrata		Haberlea Ferdinand Coburgi	26
Genista Tinctoria	11	Haberlea Rhodopensis	2 6
Genista Tinctoria Fl. Pl	11	Hedera Baltica Variegata	56
Genista Tinctoria Elatior		Hedera Conglomerata	56
demata iniciona Elation	11	incuera congromerata	30

l	NDEX (CONTINUED)	Page		Page
	Hedera (Heart Shaped Ivy)	5 6	Iberis Sempervirens	
	Hedera Helix Pedata	5 6	Iberis Snowflake	
	Hedysarum Sikkimensis	46	Incarvillea Variabilis	
	Helleborus Niger	51	Inula Ensifolia	52
	Helleborus Orientalis	5 3	Iris Arenaria	13
	Helianthemum Citrinum	12	Iris Autumn King	54
	Helianthemum Cupreum	12	Iris Cristata	27
	Helianthemum Fire Ball	18	Iris Dichotoma	46
	Helianthemum Mutabile	18	Iris Gracilipes	27
	Helianthemum Praecox	18	Iris Pumila Atroviolacea	19
	Helianthemum Speciosum	18	Iris Pumila Cyanea	27
	Helianthemum The Bride	6	Iris Pumila Lutea	
	Helianthemum Tuberaria	12	Iris Reticulata	
	Helianthemum Wendell Rose	18	Iris Sibirica	
	Herb List	66	Iris Verna	
	Herniaria Glabra	32		
	Herniaria Hirsuta	32	Jasione Humilis	46
	Heuchera Brizoides	18	Jasione Montana	
	Heuchera Girandole		Jeffersonia Diphylla	
	Compacta	18	Jesses Line Line Line Line Line Line Line Line	
	Heuchera Girandole Robusta	19	Kalmia Polifolia	19
	Heuchera Micrantha	19	Kalmia Polifolia Microphylla	_
	Heuchera Pluie de Feu	19	Railina Folitona Wicrophyna	. 15
	Heuchera Rosamonde	19	T / T	16
	Heuchera Sanguinea	19	Lactuca Lessertiana	
	Heuchera Sanguinea Maxima	19	Lagenophora Forsteri	
	Heuchera Sanguinea		Lamium Maculatum	
	Var. Shirley	19	Lamium Maculatum Album	
	Hieracium Alpinum	34	Lathyrus Ornatus	27
	Hieracium Bombycinum	34	Lavendula Atropurpurea	477
	Hutchinsia Brevicaulis	6	Nana	
	Hypericum Androsaemum	12	Lavendula Vera	47
	Hypericum Ascyron	34	Leiophyllum Buxifolium	~
	Hypericum Australe	12	Prostratum	
	Hypericum Coris	12	Leontopodium Alpinum	
	Hypericum Grandiflorum	12	Leontopodium Sibiricum	
	Hypericum Hookerianum	12	Leptospermum Ericoides	
	Hypericum Linarifolium	34	Leucojum Vernum	
	Hypericum Moserianum	34	Lewis a Columbiana	
	Hypericum Olympicum	12	Lewisia Columbiana Rosea	
	Hypercium Orientale	12	Lewisia Eastwoodiana	
	Hypericum Patulum Henryi		Lewisia Finchii	
	Hypericum Perforatum	12	Lewisia Heckneri	
	Hypericum Polyphyllum	12	Lewisia Howellii	
	Hypericum Repens	12	Lewisia Leeana	
	Hypericum Reptans	34	Lewisia Nevadensis	
	Hypericum Richeri	13	Lewisia Oppositifolia	
	Hypericum Tomentosum	13	Lewisia Rediviva	
	22) porteum 10 memeosum	13	Lewisia Tweedyi	
			Liatris Punctata	
	Iberis Jordani		Liatris Scariosa	
	Iberis Little Gem	7	Libertia Elliott's Var	. 7

INDEX (CONTINUED)	Page	F	age
Lilium Phillipense		Micromeria Juliana	48
Price's Var	. 7	Micromeria Rupestris	3 3
Linaria Alpina	. 47	Mimulus Alpinus	13
Linaria Canon Went	. 38	Mimulus Moschatus	13
Linaria Cymbalaria		Mimulus Variegatus	
Linaria Dalmatica		Queen's Prize	13
Linaria Faucicolor	47	Mitchella Repens	7
Linaria Minor		Muehlenbeckia Nana	56
Linaria Repens			
Linum Alpinum	47	Nepeta Mussini	48
Linum Collinum	. 47	Nepeta Nuda	48
Linum Flavum	35	Nepeta Souv. Andre Chaudron	48
Linum Narbonnense	47	Nepeta Ukranica	48
Linum Perenne	47	Nierembergia Rivularis	33
Linum Salsaloides Nanum	. 3 2	8	
Lithospermum		0 - 11 0 4	0.0
Graminifolium	. 47	Oenothera Caespitosa	33
Lithospermum Hirtum	. 13	Oenothera Fruticosa Major.	35
Lithospermum Petraeum	. 47	Oenothera Fruticosa	0.5
Lithospermum		Youngii	35
Prostratum H. B	. 47	Oenothera Mexicana	38
Lobelia Cardinalis	. 5 3	Oenothera Missouriensis	35
Lobelia Cardinalis Queen		Oenothera Taraxacifolia	38
Victoria	. 5 3	Omphalodes Luciliae	27
Lobelia Siphilitica	. 5 3	Omphalodes Verna	27
Lomatium Foeniculaceum	. 13	Omphalodes Verna Alba	7
Lonicera Fragrantissima	. 52	Ononis Rotundifolia	21
Lotus Corniculatus	. 13	Onosma Emodi	39
Lotus Corniculatus Fl. Pl		Onosma Albo-Roseum	33
Lupinus Mixed	. 55	Onosma Tauricum	35
Lychnis Alpina	. 38	Oxalis Adenophylla	21
Lychnis Arkwrightii	. 38	Oxalis Floribunda Alba	33
Lychnis Flos-cuculi	. 21	Oxytropis Campestris	13
Lychnis Lagascae	. 21	Oxytropis Lambertii	27
Lychnis Viscaria			
Splendens Fl. Pl	. 21	Pachystima Canbyi	21
Lysimachia Ciliata		Papaver Alpinus	55
Lysimachia Clethroides		Papaver Pilosum	39
Lysimachia Verticillata	. 35	Pardanthus Chinensis	3 5
		Paronychia Serpyllifolia	33
Malvastrum Coccineum	. 38	Pellea Densa	56
Margyricarpus Setosus	. 7	Pentstemon Albidus	33
Mazus Reptans	. 27	Pentstemon Amethyst	
Mentha Requieni	. 27	Gracilis	48
Menziesia Polifolia	. 48	Pentstemon Angustifolia	48
Menziesia Polifolia Alba		Pentstemon Cardwellii	48
Meriolix Serrulata		Pentstemon Erianthera	48
Mertensia Oblongifolia	. 27	Pentstemon Gracilis	48
Mertensia Lanceolata	. 27	Pentstemon Heterophyllus .	27
Mertensia Virginica	. 27	Pentstemon Humilis	27
Micromeria Dalmatica	. 48	Pentstemon Menziesii	48

NDEX (CONTINUED)	Page	1	Page
Pentstemon Menziesii		Potentilla Gelida	14
Var. Davidsonii	48	Potentilla Glandulosa	14
Pentstemon Procerus	48	Potentilla Glandulosa	
Pentstemon Pubescens	48	Var. Wrageliana	14
Pentstemon Rupicola	39	Potentilla Hookeriana	14
Pentstemon Torreyi	39	Potentilla Nepalensis	22
Pentstemon Unilateralis	27	Potentilla Nevadensis	14
Phlox Adsurgens	21	Potentilla Nitida	39
Phlox Amoena	21	Potentilla Reptans	36
Phlox Brittonii Alba	7	Potentilla Salmon Beauty	39
Phlox Brittonii Var.	•	Potentilla Thomasiniana	14
Atropurpurea	27	Potentilla Tonguei	36
Phlox Cowardi	22	Potentilla Tridentata	8
Phlox Diffusa	27	Potentilla Villosa	14
Phlox Divaricata	2 ₇	Potentilla Warrensii	14
Phlox Divaricata Laphamii.	27	Pratia Angulata	8
Phlox Douglasii	28	Primula Acaulis Alba Fl. Pl.	8
Phlox Hoodii	7	Primula Acaulis	
Phlox Kelseyi	22	Atropurpurea Fl. Pl	29
Phlox Stolonifera Reptans	22	Primula Acaulis	
Phlox Subulata		Heavenly Blue	29
Apple Blossom	22	Primula Acaulis Hybrids	55
Phlox Subulata Atropurpurea		Primula Acaulis Miss Massie	29
Phlox Subulata Nelsoni	7	Primula Acaulis Rosea	22
Phlox Subulata The Bride	7	Primula Auricula Hybrids	55
Phlox Subulata Vivid	22	Primula Bulleyana	14
Phlox Subulata G. F. Wilson	28	Primula Capitata	29
Phyteuma Hemisphaericum.	28	Primula Cashmeriana	23
Phyteuma Orbiculare	28	Hybrids	55
Phyteuma Scheuchzeri	28	Primula Chionantha	33 8
Phyteuma Spicata	8	Primula Chrysopa	29
Phyteuma Spicata Nigra	28	Primula Chungensis	14
Phyteuma Wagneri	28	Primula Clusiana	22
Pieris Nitida	56	Primula Cockburniana	14
Platycodon Mariesii	48	Primula Columnae	14
Platycodon Mariesii Album.	33	Primula Conspersa	29
Plumbago Larpentae	48	Primula Cortusoides	23
Polemonium Confertum	28	Primula Duplex	23
Polemonium Humile	29	Hose-in-Hose	14
Polemonium Reptans	29	Primula Edina	23
Polygonum Affine	39	Primula Elatior	23 14
Polygonum Vaccinifolium	39	Primula Farinosa	23
Potentilla Alpestris	13	Primula Florindae	23 14
Potentilla Aurea	13	Primula Frondosa	
Potentilla Argyrophylla	13	Primula Glaucescens	23 30
Potentilla Calabra		Primula Glutinosa	
Potentilla Cinerea	13 13	Primula Grandiflora Hybrids	30
Potentilla Double Mired			55
Potentilla Double Mixed	55 12	Primula Integrifolia	23
Potentilla Euriocarpa	13	Primula Japonica	
Potentilla Fragiformis	14	American Beauty	23
Potentilla Fulgens	39	Primula Japonica Hybrids	23

INDEX (CONTINUED)	Page	P	age
Primula Juliae	30	Rosa Foliolosa	33
Primula Juliae Hybrids	30	Rosa Nitida	40
Primula Microdonta Alpicola	14	Rosa Polyantha Nana	40
Primula Munstead Strain	55	Rosa Prairie Rose	40
Primula Nutans	30	Rosa Roulettii	40
Primula Officinalis	2 3	Ruellia Occidentalis	49
Primula Pulverulenta	2 3		
Primula Saxatilis	23	Sagina Subulata	9
Primula Secundiflora	2 3	Sanguineria Canadensis	9
Primula Sieboldii	23	Santolina Incana	36
Primula Sino Purpurascens.	30	Saponaria Ocymoides	24
Primula Veris Elatior		Saxifraga 57, 58, 59,	60
Polyanthus	55	Scabiosa Caucasica	49
Primula Veris Hybrids	55	Scabiosa Graminifolia	49
Primula Wulfeniana		Scilla Bifolia	54
Prunella Grandiflora	48	Scilla Sibirica	54
Prunella Laciniata	49	Scutellaria Angustifolia	49
Prunella Laciniata Alba	3 3	Scutellaria Orientalis	36
Prunella Vulgaris	49	Scutellaria Resinosa	49
Prunella Webbiana		Scutellaria Sp	49
Pulmonaria Saccharata	30	Sedum 61, 62,	63
		Sempervivum 63, 64,	
Ramondia Pyrenaica	30	Senecio Incanus	36
Ranunculus Crenatus	9	Shortia Galacifolia	33
Ranunculus Gramineus	14	Sibboldia Procumbens	
Ranunculus Montanus	14	Grandiflora	56
Ranunculus Pumilio	14	Sidalcea Hybrida	40
		Sideranthus Spinulosus	52
Ranunculus Repens		Silene Acaulis	9
Raoulia Australis	9	Silene Alpestris Grandiflora	9
Rhododendron Ferrugineum	24	Silene Californica	24
Rhododendron Indicum		Silene Flavescens	15
Ben Kirisma	24	Silene Hookeri	24
Rhododendron Indicum		Silene Maritima Fl. Pl	33
Satsuki	24	Silene Maritima Rosea	40
Rhododendron Indicum		Silene Monachorum	33
Macrantha	24	Silene Saxifraga	33
Rhododendron Indicum		Silene Schafta	40
Macrantha Orange	24	Sisyrinchium Californicum .	15
Rhododendron Racemosum.	24	Sisyrinchium Gramineum	30
Rhododendron Sp.		Sisyrinchium Pachyrhizum	15
Kocho-no-Kawa	24	Sisyrinchium Tanacetifolium	30
Rhododendron Sp. Illuminata	24	Sisyrinchium Varians	30
Rhododendron Sp.		Soldanella Alpina	30
Mrs. Carmichael	24	Solidago Glaberrima	52
Rhododendron Sp. Osakazuki		Solidago Wardii	52
Rhododendron Sp.		Sparaxis Pulcherrima	49
Wareigishi	24		
Rhododendron Sp. Yazakura	24	Stachys Corsica	33
Rodgersia Aesculifolia		Stachys Lanata	49
Rodgersia Sambucifolia		Statice Bellidifolia	49

I	NDEX (CONTINUED)	Page	1	Page
	Statice Dumosa	49	Veronica Hookeri	9
	Symphyandra Wanneri	49	Veronica Incana	50
	Synthyris Rotundifolia		Veronica Pectinata	30
	Synthyris Sweetseri	30	Veronica Pectinata Rosea	24
			Veronica Prostrata	30
	Talinum Calycinum	40	Veronica Quateriana	30
	Tanacetum Sp. Balkans	36	Veronica Repens	30
	Tellima Grandiflora	24	Veronica Repens Rosea	24
	Tetraneuris Simplex	36	Veronica Rupestris	
	Tetraneuris Stenophylla	36	Heavenly Blue	31
	Teucrium Chamaedrys	40	Veronica Repestris Nana	31
	Teucrium Chamaedrys		Veronica Saxatilis	31
	Prostratum	40	Veronica Spicata	50
	Thalictrum Dipterocarpum .	49	Veronica Spicata Nana	51
	Thalictrum Glaucum	15	Veronica Teucrium Trehanii	31
	Thalictrum Sp	40	Veronica Wardiensis	51
	Thlaspi Jankaea	9	Vinca Minor	31
	Thlaspi Limosellaefolium	24	Viola Admiration	51
	Thlaspi Violascens	30	Viola Arkwright Ruby	53
	Thymus	65	Viola Blanda	9
	Tiarella Cordifolia	9	Viola Bosniaca	31
	Townsendia Exscapa	9	Viola Bosniaca	
	Tradescantia Bracteata	40	Crimson King	24
	Tradescantia Brevicaulis	40	Viola Cornuta Blue	
	Tradescantia Occidentalis	49	Perfection	51
	Tradescantia Virginica	49	Viola Cornuta Hybrids	55
	Tradescantia Virginica Alba	33	Viola Cornuta Papilio 51;	54
	Trollius Acaulis	15	Viola Florariensis	31
	Trollius Europaeus	15	Viola Heterophylla	31
	Trollius Genuinus	15	Viola Hybrida Haslemere	31
	Tunica Saxifraga	40	Viola Maggie Mott	31
	Tunica Saxafraga Fl. Pl	40	Viola Odorata Rosina	
			Viola Pedata	51
	Ulex Europaeus	36	Viola Pedata Bicolor	51
	Umbillicus Chrysanthus	15	Viola Riviniana	31
	•		Viola Royal Gem	31
	Vaccinium Vitis-Idaea		Viola Sagittata	31
	Var. Minus	9	Viola Striata	9
	Verbena Alpina	40	Viola Sylvestris Rosea	24
	Verbena Bipinnatifida	49	Viola W. H. Woodgate	31
	Verbena Bracteosa	50		
	Verbena Canadensis	50	Wahlenbergia Dinarica	51
	Verbena Hastata	50	Wahlenbergia Gracilis	51
	Verbena Venosa	50	Wahlenbergia Pumilio	51
	Veronica Amethystina	50	Wahlenbergia Tasmanica	51
	Veronica Baileyana	50	Wulfenia Carinthiaca	31
	Veronica Chamaedrys	50		_
	Veronica Filiformis	30	Vanthuavalia Otaiata	20
	Veronica Gentianoides	30	Xanthroxalis Stricta	36
	Veronica Guthriana	50		
	Veronica Himalayensis	50	Zauschneria Californica	5 3

All rock plants require firm planting, good drainage and stone chips over the surface of the soil and under the foliage. The rare and diminutive types of alpines should have a section to themselves to prevent the encroachment of plants of a more robust or rampant nature. Most alpines should be cut back after the blooming period is past which will ensure a second bloom in many species. While not absolutely necessary, a light covering of salt hay should be placed over the rock garden in winter in climates where cold frosty winds prevail and there is no protecting blanket of snow. In spring a top dressing of sand and leaf soil is very beneficial, adding lime for plants which require it.

A CAREFUL PERUSAL OF OUR CATALOGUE WILL ENABLE YOU TO MAKE A SELECTION OF PLANTS WHICH WILL PRODUCE A PROFUSION OF BLOOM AT CERTAIN SEASONS, OR CONTINUOUS BLOOM THROUGHOUT THE YEAR.

This catalogue includes only a partial number of the many species and varieties of alpine and rock plants which we can supply, and, in case you do not find the plants you desire listed, kindly write us your

requirements.

The following list of plants have been tested for hardiness. All our plants are thoroughly acclimatized in this section before being sent to the customer. We have found after they become accustomed to our climatic conditions in New England that their growth and cultivation present very few difficulties or losses when transplanted into other gardens.

WE HAVE A TRAINED GROUP OF MEN, WHO ARE THOROUGHLY EXPERIENCED IN THE CONSTRUCTION OF ROCK GARDENS, AND THE BUILDING OF WALLS AND POOLS. ADVICE GIVEN FREELY ON THESE SUBJECTS.

We strive to the best of our knowledge and ability to have our plants true to name, but cannot be held responsible in case mistakes sometimes occur.

TERMS OF SALE

Sufficient money must be added to order to cover cost of postage. Our terms are strictly cash, but we will ship C. O. D. provided 25% of the amount of the order is remitted.

Where two prices are mentioned, the last is quoted for specimen

size plants.

Plants leave our nurseries in fine, healthy condition. All plants are inspected and carefully packed according to the best methods to insure safe transportation.

We cannot be liable for cases of failure due to transportation or

other causes.


10% discount is allowed on 10 plants of one variety.

WHITE

Spring and Early Summer (Early March until July)

ACHILLEA	3 for
Argentea. Silvery foliage. Pure white flowers. Height 4 in.	
Dalmatia each 35c Nana. Soft downy foliage. White flowers. Height 6 in.	1.00
Nana. Soft downy foliage. White flowers. Height 6 in.	1 10
Europe. New each 40c Tomentosa alba. Dwarf habit. White flowers. Europe and	1.10
North America each 30c	.85
ALSINE—Liniflora. Tufted foliage. Large pure white flowers.	.03
Europe. Very choice each 60c	1.65
ANDROSACE—Androsaces require good drainage, gritty loam	
and sunny situation.	
Maxima. Small flat green rosette bearing dainty white	
flowers each 35c	1.00
ANEMONE	
Patens. (Pasque flower) Large showy white or blue flowers	0.5
in early spring each 30c	.85
Sylvestris. Pure white fragrant flowers. Height 1½ ft. Europe and Southwestern Asia each 25c	.65
ANTENNARIA—Canadensis. Fine silvery grey foliage with	.03
white closed flowers on 4 in. stems. Useful for carpeting	
and paving. North America each 25c	.65
AQUILEGIA—Flabellata Nana. Beautiful dwarf species with	
pure white flowers. Japan. One of the best. Shade and	
leafmold each 35c	1.00
ARABIS—Sun or partial shade.	
Alpina. Oblong leaves. White flowers. Europe each 25c	.65
Alpina Fl. Pl. Double flowering white variety. Europe. ea. 35c	1.00
Alpina Nana Compacta. Pure white flowers. Height 6	.85
in each 30c Procurrens. A valuable plant with small close growing	.03
clustered green foliage forming wide mats. White	
flowers each 40c	1.10
ARCTOSTAPHYLOS-Uva Ursi. Low evergreen with white	
flowers followed by red berries. Rare and fine each 50c	1.40
ARENARIA	_
Balearica. Dainty carpeting plant with white flowers. each 30c	.85
Grandiflora. Large pure white flowers in spring. Height 6 in.	0.5
Europe each 30c	.85
Laricifolia. Large white flowers. Height 6 in. Switzer-	1.00
land each 35c Montana. Close tufts covered with charming white flowers	1.00
in early spring. A valuable rock plant each 30c	.85
ASTER—Alpinus Albus. A fine variety of dwarf Aster with	.55
white flowers. Height 8 in. Europe and North America.	
Sandy loam in full sun each 25c	.65
ASTILBE—Simplicifolia. Dainty, dwarf plant with glossy	
leaves and short spires of fluffy white or pink flowers. 6 in. high. Japan. Very fine each 50c	1.40

SPRING AND EARLY SUMMER 3 for BELLIUM Bellidioeides. Dainty white miniature daisy tinted pink. each 40c 1.10 Minutum. Neat small-flowered white Alpine Daisy. each 35c 1.00 Nivale. Slightly taller growing variety than the above with charming white flowers. each 40c 1.10 CERASTIUM-Tomentosum. Masses of grey foliage and white flowers. each 25c .65 COTONEASTER Dammeri. (Better known as C. Humifusa) Splendid ground cover for steep slopes; also valuable for trailing over rocks. Pretty glossy leaves and large flowers followed by coral red berries. China. each \$1.00 Dammeri Radicans. Fine for trailing over large stones or banks. A beautiful mat forming type of Cotoneaster. One of E. H. Wilson's finds in China. Entirely prostrate, rooting from the branches. The small evergreen leaves are intensely shiny. Large pure white flowers followed by bright red DIANTHUS-Require full sun in sandy loam. Deltoides Albus. Mat-forming variety. White flowers with dark rose eye. North America. each 25c .65 **Petraeus.** New. Mat-forming variety with sharp pointed green leaves. Fragrant white flowers about 3/4 in. across. Eastern Europe. each 35c 1.00 Squarrosus. New. A small edition of Dianthus Superbus with pure white fragrant flowers. each 35c 1.00 Sundermannii. Rare Macedonian species. Large white flowers each 50c 1.40 DICENTRA—Oregana Glauca. Silvery foliage and glistening white flowers. Full sun. Rare and fine. North America. each 75c 2.00 DIPSACUS—Inermis. New. Prickly herb of thistle-like aspect. White flowers. Europe. each 35c 1.00 DRABA Fladnizensis. Forms cushions 2 to 3 in. high. Basal leaves and white flowers. High alpine. Sun. each 35c 1.00 Hirta. Narrow leaves and milk-white flowers. Height 6 in. Sub-Arctic Eurasia. each 35c 1.00 Johannis. Loose mats. Small white flowers. New. Supply limited. each 50c 1.40 DRYAS Octopetala. Flat evergreen carpets of very small Oak-like leaves with white Anemone-like flowers during spring and summer. It flowers most freely in very limy soil. each 75c 2.00 Sundermannii. Mat forming foliage. Fine white flowers followed by attractive fluffy seed pods. each 60c 1.65 ERICA-Vulgaris Searlei. Lovely dark green foliage. White flowers. Partial shade and acid, peaty soil. each 50c and \$1.00 ERODIUM—Amanum. Soft blue-grey foliage with white blossoms having yellow centers. Very effective. Full sun. Sandy leaf soil and loam. each 75c 2.00



Praecox. Compact shrub with beautiful cream colored blos-

Iberis Snowflake

GENTIANA —Rich sandy loam in partial shade.	
Walujewi. Large white flowers dotted with pale blue in a	
terminal cluster. Strong growing plant from Turke-	
stan each 50c	1.40
GERANIUM—Sessiliflorum. Low tufts of dark green leaves;	
milk-white blossoms. Mountains of Chile each 75c	2.00
GOODYERA—Pubescens. (Rattle-snake Orchid) Ornamental	
foliage with silver veins. White flowers each 20c	.50
GYPSOPHILA—Cerastioides. Dwarf compact plant. White	
flowers veined with red. Height 4 in. Himalayas. each 50c	1.40
HELIANTHEMUM—The Bride. Large pure white flowers.	
Full sun and light loam each 35c and 50c	
HUTCHINSIA—Brevicaulis. New. Tiny finely cut foliage with	
white flowers. Shade and leaf soil. Height 3 in. each 35c	1.00
IBERIS	
Jordani. Close growing green mats, completely covered with	
white flowers each 35c	1.00

WHITE (CONTINUED)

SPRING AND EARLY SUMMER	3 for
IBERIS	3 101
Little Gem. Dwarf species of upright habit. Neat heads of pure white flowers	1.00
Sempervirens. Spreading evergreen mats. Pure white	0.5
flowers each 30c Snowflake. Glistening white flowers. Very fine each 30c	.85 .85
JEFFERSONIA—Diphylla. Divided shield-shaped leaves, blue-	,,,,
grey underneath. White flowers on foot high stems in May. North America. Very fine each 75c	2.00
LEIOPHYLLUM — Buxifolium Prostratum. Prostrate and	
densely branched. Small white or pink flowers in spring. Mountains of North Carolina and Tennessee. Particularly	
fine each 75c and \$1.00	
LEONTOPODIUM—Full sun, poor soil. Alpinum. (Edelweiss) White flannel flowers. 6 in. Pyrenees	
and Alps each 30c	.85
Sibiricum. Oblong-linear webby leaves. Large flowered form	0.5
from Russia each 30c	.85
LEWISIA Eastwoodiana. Foliage like Lewisia Columbiana. Cluster	
heads of many small white flowers. New and rare. Good drainage and partial shade, sand, leaf soil and good	
loam each 75c Nevadensis. One of the deciduous species with a rosette of	2.00
basal linear leaves. Flowers white tinted lavender. each 50c Oppositifolia. Profusion of white cup-like flowers. each 50c	1.40 1.40
LIBERTIA—Elliott's Variety. New. Clusters of lovely ivory	
white flowers. April and May; sometimes in late summer. Requires sheltered position in light sandy soil. Full sun.	
each 50c	1.40
LILIUM—Phillipense Price's Variety. Fragrant white flowers	
tinged with green. 10 in. tall. Philippine Islands. each 60c	1.65
MARGYRICARPUS—Setosus. (Pearl Berry). Trailing evergreen shrub with inconspicuous flowers followed by large	
pearly white berries. Height 1 ft. South America. each \$1.00	2.75
MITCHELLA — Repens (Partridge Berry). Evergreen	
useful in the rock garden as a ground cover for shady moist situations. White flowers followed by scarlet fruit.	
North America each 25c	.65
OMPHALODES—Verna Alba. Large heart shaped leaves.	
Masses of white forget-me-not like flowers each 50c PHLOX	1.40
Brittonii Alba. Lovely new variety. Tiny bushlets covered	
with star shaped white flowers. Compact habit each 50c	1.40
Hoodii (Planitiarum). Very neat and compact with needle-	0.5
like leaves. Large white blossoms. Height 4 in each 30c Subulata Nelsoni. White blossoms tinted lavender. each 25c	.85 .65
Subulata The Bride. White flowers with pink eye each 25c	.65

WHITE (CONTINUED)	8
SPRING AND EARLY SUMMER	3 for
PHYTEUMA—Spicata. Rare. Cream colored or blue flowers. Europe. Full sun, sand and leaf soil each 50c	1.40
POTENTILLA—Tridentata. A fine low-growing species with dark green leathery leaves and large white flowers. Canada each 30c	.85
PRATIA—Angulata. New. Mats of small close-growing leaves from which spring starry white flowers followed by purple berries. New Zealand each 50c	1.40



Potentilla Tridentata

PRIMULA

Acaulis Alba Fl. Pl. A beautiful hybrid, the blossoms resembling small double roses each \$1.00	2.75
Chionantha. Beautiful ivory white flowers produced in early spring each 50c	1.40

WHITE (CONTINUED)

SPRING AND EARLY SUMMER	3 for
RANUNCULUS—Crenatus. New and rare. Dark green leaves scalloped and pointed. Stout stems and beautiful large white flowers. Central Europe each 50c	1.40
RAOULIA—Australis. Mats of glistening silver. Less than an inch high. New Zealand. Warm sandy soil in full sun. Rare. Hardy each 50c	1.40
SAGINA—Subulata. Mossy ground cover for shade. White starry flowers in May and June each 30c	.85
SANGUINERIA—Canadensis. Beautifully scalloped foliage. Lovely white flowers each 30c	.85
SILENE Acaulis. Mats of bright green moss-like foliage. Almost stemless pink flowers in June and July. Requires a little shade during the hottest part of the summer each 30c Alpestris Grandiflora. Delicate branching stems about 6 in.	.85
high carrying showers of white flowers with fringy petals. Likes a cool place and rich light soil each 50c	1.40
THLASPI—Jankaea. Tufts of silvery leaves and sprays of	
white flowers. Fragrant. 2 to 3 in each 30c TIARELLA—Cordifolia (Foam Flower). Tufts of broad leaves lobed and toothed. Racemes of creamy-white flowers.	.85
Height 12' in each 30c TOWNSENDIA — Exscapa. Low rosettes of narrow, oval, greyish leaves. Wide Aster-like flowers of white, or pink.	.85
Rare and beautiful. Full sun. Sandy soil each 40c VACCINIUM — Vitis-Idaea Var. Minus. A small shrub with evergreen foliage. Lovely urn-shaped flowers in graceful terminal racemes, white flecked with red, followed by	1.10
crimson berries. Requires humus or leaf soil. Shade. each \$1. VERONICA—Hookeri. New. Dwarf evergreen shrublet. Profusion of white spotted flowers. Height 6 in. Very	2.75
attractive each 50c VIOLA	1.40
Blanda. Close-growing habit. Sweet scented white flowers. Height 2 to 3 in. North America each 35c Striata. Fine foliage of heart-shaped leaves covered all summer and autumn with lovely white violets. A fine and	1.00
attractive plant for the rock garden each 50c	1.40
YELLOW AND ORANGE	
Spring and Early Summer	
ACHILLEA Tomentosa. Dwarf variety with golden flowers and ferny	
foliage making fine effect. Long blooming season, Height 6 in each 25c	.65
Tomentosa Aurea. Handsome grey-green ferny foliage. Bright golden flower heads. Dwarf habit. Europe and North	
America each 25c	.65

YELLOW AND ORANGE (CONTINUED) 10 SPRING AND EARLY SUMMER 3 for **Alpestre.** Prostrate form with grey foliage and yellow flowers, in short racemes. 3 to 4 in. high. Europe, Long period of bloom. New. each 35c 1.00 Idaeum. Dwarf plant with grey-green foliage and yellow flowers. Crete. One of the best. each 40c 1.10 Rochellii Major. Loose tangles of twisted branches. Grey leaves and golden flowers. Long blooming period. each 50c 1.40 Rostratum. Trailing prostrate branches. Very effective over

.85

1.65

1.00

tinuously through summer and autumn. each 30c Saxatile Citrinum. Dwarf compact habit. Grey foliage and masses of pale yellow flowers. Very showy. 6 in. high. each 35c 1.00 Saxatile Compactum. Abundant yellow flowers. Height 9 each 25c .65 Saxatile Compactum Fl. Pl. Double flowering form of the

large stones or for rock wall. Golden flowers produced con-

above. Very beautiful and rare. each 60c Serpyllifolium. Prostrate growth. Grey foliage and pretty vellow flowers. each 35c

ALYSSUM



Genista Sagittalis

ANDROSACE—Vitaliana. Silvery grey cushions. Stemless	
golden sweet-scented flowers. Good drainage, gritty loam and sunny situation. A gem each 75c	2.00
CALTHA—Palustris (Marsh Marigold). Large showy yellow flowers. Shade each 25c	.65

SPRING AND EARLY SUMMER	3 for
CORYDALIS	0 101
Cheilanthifolia. Beautiful fern-like foliage and clear yellow	
flowers Height 12 in each 40c	1.10
Lutea. The best of the family. Lovely fern-like foliage and	
golden blossoms. Spring until frost. Height 8 in.	
Shade each 50c	1.40
COTYLEDON—Simplicifolia. Low tufts from which spring	
gracefully arched stems bearing tiny golden flowers. Sun	
and sandy soil each 35c	1.00
CYTISUS	
Hirsutus. A shrublet with hairy foliage and large bright	
golden flowers. 18 in. May and June. Southeastern	
Europe each 75c Multiflorus. A charming type with an abundance of yellow	
flowers. May to July each 75c	
Scoparius (Scotch Broom). Yellow flowers. Spring and	
summer. Europe each 75c	
DORONICUM	
Caucasicum. Large yellow blossoms on 2 ft. stems. each 35c	1.00
Clusii. Bright green foliage with a profusion of large yellow	
blossoms. Dwarf each 50c	1.40
Mme. Mason. New. Delightful large yellow flowers appearing	
in spring. Dwarf form each 40c	1.10
DOUGLASIA—Vitaliana. Ash-grey tufts. Stemless golden	2.00
flowers. Shade. Pyrenees. A rare treasure each 75c DRABA	2.00
Glacialis. Similar to D. Alpina. Broad leaves with stiff white	
edging. Beautiful golden blossoms on short stems.	
New each 75c	2.00
Olympica. Dull green foliage. Sprays of yellow flowers. Par-	
tial shade. Very beautiful. Mediterranean region. each 50c	1.40
EUPHORBIA —Full sun and poor sandy soil.	
Cyparissias. Like a miniature Cypress, with many yellow	
flower-like bracts during May and June. Height 8	
in each 50c	1.40
Myrsinites. Prostrate evergreen. Handsome blue-green	
leaves. Showy heads of golden yellow. Decorative foliage	1 00
all year each 35c Polychroma. Showy yellow bracts. Very symmetrical growth.	1.00
Height 12 in each 50c	1.40
GENISTA—Full sun, sandy loam. Fine for walls.	1.40
Prostrata. Prostrate shrub, yellow flowers. Very fine. ea. 50c	
Sagittalis. Prostrate species. Bright yellow flowers. Dwarf	
habit each 75c	
Tinctoria. Fine shrublet. Golden-yellow flowers. each 50c	
Tinctoria Fl. Pl. An almost prostrate form with spikes of	
double golden-yellow flowers each 75c Tinctoria Elatior. Supply limited. Fine upright growing form	
Tinctoria Elatior. Supply limited. Fine upright growing form	
with long sprays of golden yellow flowers. Height 2	
ft each \$1.00	

SPRING AND EARLY SUMMER	
HYPERICUM	3 for
Richeri. Small golden flowers and attractive blue grey foliage. Height 12 in. Trailer each 50c Tomentosum. Dense oval woolly foliage. Large yellow flowers. Rare. Europe each 50c	1.40 1.40
IRIS—Arenaria. One of the smallest of all Iris. Large bright yellow flowers. Rare and choice. Mongolia each \$2.50 Pumila Lutea. Early blooming species. Very fine yellow blossoms each 30c	.85
LITHOSPERMUM—Hirtum. Flower stems thickly set with dark green leaves and large heads of orange flowers in spring and early summer each 50c	1.40
LOMATIUM—Foeniculaceum. New. Grey, finely divided fern- like prostrate foliage. Yellow blossoms each 35c	1.00
LOTUS	
Corniculatus. A beautiful little evergreen trailing plant covered in spring and early summer with bright golden flowers. Poor soil. Full sun or partial shade. Good for	
paving, walls, and dry places in the rock garden. each 35c Corniculatus Fl. Pl. Beautiful double flowering form of the	1.00
above each 50c	1.40
MERIOLIX—Serrulata. New and scarce. Rather small Primrose blossoms of brilliant yellow with dark green, glossy leaves and reddish stems. 8 or 9 in each 50c	1.40
MIMULUS	_,,,
Alpinus. Close growing pretty foliage and golden blossoms.	
Height 4 in. Chile. All spring and summer each 35c	1.00
Moschatus. Old fashioned sweet smelling Musk. Dwarf habit. Golden flowers each 35c Variegatus. Queen's Prize. Dwarf. Very fine strain. Large	1.00
flowers each 50c	1.40
OXYTROPIS—Campestris. Handsome ferny foliage. Pale yellow flowers faintly tinged with purple. Height 8 in. North	
America each 50c	1.40
POTENTILLA	
Alpestris. Dark green leaves. Clusters of gay yellow flowers.	1.00
Height 8 in. Europe each 35c Aurea. Tufts of glossy leaves. Bright golden flowers, orange	1.00
at the base. All summer. Height 2 in each 50c	1.40
Argyrophylla. Silvery foliage with bright golden blossoms.	_,,,
Ht. 12 in. Himalayas each 50c	1.40
Calabra. Beautiful silvery finely cut foliage with golden	
blossoms. Italy each 35c	1.00
Cinerea. Compact evergreen creeper with dainty yellow	.85
flowers each 30c Euriocarpa. New. From the high regions of Tibet. Bright	.03
green foliage. Graceful stems carrying a single splendid	
golden flower about $1\frac{1}{2}$ in. across each 35c	1.00

YELLOW AND ORANGE (CONTINUED)	14
SPRING AND EARLY SUMMER	
POTENTILLA Fragiformis. Broad coarsely toothed velvety grey-green	3 for
leaves. Large yellow flowers. Siberia. Ht. 8 in. Fine. each 35c Gelida. Very effective foliage with clusters of bright golden	1.00
flowers. Long season of bloom. Northern Asia each 35c Glandulosa. New. Yellow flowers. Height 18 in. North	1.00
America each 40c	1.10
Glandulosa Var. Wrageliana. Brilliant golden flowers. each 50c Hookeriana. New. Handsome foliage and brilliant golden	1.40
flowers. Height 8 in. North America each 35c Nevadensis. Very fine. Prostrate stems with attractive foliage covered with small brilliant yellow flowers. 3 to 4 in.	1.00
Spain each 50c Thomasiniana. Mat forming species with grey-green leaves.	1.40
Golden flowers. Height 3 in. Dalmatia each 50c Villosa. New. Attractive silky foliage of tufted form. Fine	1.40
yellow flowers. Sun. Height 12 in. Siberia each 40c Warrensii. Free flowering variety with large bright yellow flowers each 40c	1.10 1.10
	1.10
PRIMULA	
Bulleyana. A beautiful species from Yunnan bearing whorls of rich orange and buff flowers. China each 40c	1.10
Chungensis. Orange flowers with yellow center. Fragrant. Very fine. China each 50c	1.40
Cockburniana. A lovely species from western China with umbels of brilliant orange-scarlet flowers. Unique and beau-	1.10
tiful. China	2.00
Alps each 50c Duplex (Hose-in-Hose) A semi double form with yellow	1.40
flowers. Quaint and charming each 50c Elatior. The true or Bardfield Oxlip. Finest strain of Bunch	1.40
Primrose. Large flowers of wonderful shades of yellow.	0.5
Europe each 30c Florindae. New. Chinese species. Large clusters of Primrose	.85
yellow flowers. Tibet each 35c Microdonta Alpicola. Pale Primrose yellow flowers. Fragrant.	1.00
Height 1½ ft. China each 35c	1.00
RANUNCULUS	
Gramineus. Tufted lanceolate foliage from which rise flowering stems producing fine yellow flowers. Rare each 50c	1.40
Montanus. Large golden flowers. May and June. Rare and	1 00
fine. Sun each 35c Pumilio. Creeper. Beautiful variegated foliage and golden blossoms. A most valuable plant for covering banks in sun	1.00
or shade	1.00
yellow flowers. Good ground cover. Europe and North America	.65

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER	16
A OHILI ECIA Comedencia Elementa with college comple and god	3 for
AQUILEGIA—Canadensis. Flowers with yellow sepals and red spurs. May to July. North America each 25c	.65
ARABIS—Sun or partial shade.	
Albida rosea. Tufted foliage with pretty rosy blossoms in loose racemes. Caucasus each 25c Alpina Rosea. Dwarf species. Abundance of rose flowers. Very	.65
lovely each 35c	1.00
ARMERIA	
Caespitosa. Pretty dwarf. Grassy tufts with almost stemless	
heads of pale pink flowers. Mountains of Spain and Portugal. Choice each 75c	2.00
Laucheana. Tufts of grassy leaves. Large bright pink flower heads on 4 in. stems. Blooms from spring until frost	.65
Maritima. Compact tufts of grassy foliage. Pink flowers on 6	.03
to 10 in. stems each 25c	.65
AZALEA	
Amoena. Glossy green foliage covered with beautiful cherry	
colored blossoms during May. Quite dwarf in habit. 12-15 in. diam each \$2.50 15-18 in. diam	
Obtusa Japonica. A very slow growing dwarf variety,	
rose-lilac blossoms. Very choice and rare each \$3.50	
BRUCKENTHALIA—Spiculifolia. Evergreen of Heath-like	
appearance. Clear rose bell-shaped flowers on short terminal racemes	2.00
CALLUNA—Vulgaris. Dwarf heather with pale pink flowers. each 50c and \$1.00	
CRUCIANELLA—Stylosa. Prostrate foliage with 9 in. stems. Heads of rose flowers. Persia each 25c	.65
DAPHNE—Cneorum. Low growing evergreen shrub. Fragrant	
rosy flowers. Blooms in spring and again in fall. Austria each \$1.25 and \$2.50	
DELPHINIUM—Nudicaule. A most delightful plant with	
scarlet flowers each 35c	1.00
DIANTHUS—Requires full sun in sandy loam.	
Alpinus. Close shiny green mats with large rosy flowers on 3	1.00
in. stems. True form. Switzerland each 35c Alpinus Carmineus. Close growing bronzy green foliage	1.00
with large glowing deep rose flowers. Rare and beauti-	
ful each 60c	1.65
Arvernensis. Low mats of silvery leaves. Numerous sweet	
scented rose pink flowers. France. Height 2 to 3 in. each 30c	.85
Campestris. Masses of bright green foliage; pink blossoms	1.40
Carthusianorum. New. Clustered heads with starry flowers	1.70
varying from pink to crimson. Denmark and Urals. each 50c	1.40

SPRING AND EARLY SUMMER	
DIANTHUS	3 fo r
Cruentus. Cluster-head of brilliant red flowers. Greece. True	
form each 30c	.85
Deltoides Bowles Variety. A fine form with bronzy foliage	
and crimson flowers. Height 6 in each 30c	.85
Deltoides Brilliant. Prostrate foliage with masses of crimson	
flowers. North America each 25c	.65
Deltoides Utrecht. An improved Deltoides type each 30c	.85
Frigidus. Dwarf variety. Large rose colored flowers.	
Hungary each 35c	1.00



Epigaea Repens

Graniticus. Prostrate grey mats. Small starry pink flowers on	
6 in. stems. Pyrenees each 30c	.85
Japonica Grandiflora. Rare and very fine hybrid with exceed-	
ingly large fringy flowers each 50c	1.40
Montanus. Bright red flowers and grey green foliage. ea. 35c	1.00
Richardi. A trailer covered with small rosy pink blooms.	
Rare each 40c	1.10
Roysii. Spiny foliage making small cushions with pink	
blooms. Rare and fine. Partial shade each 50c	1.40
Spiculifolius. Loose graceful habit. Pale pink flowers.	
Russia and Roumania. Rare. Continuous bloom. each 50c	1.40
Sylvestris. New. Dense grassy tufts from which rise arching	
stems with large pink flowers. Eastern Europe. each 40c	1.10
Waldsteinii. Fragrant rose flowers about 1 in. across. Pyrenees	
and Alps each 50c	1.40
-	

18
3 for 1.00
1.10
1.00
1.40
2.00
1.10
1.10
1.65
2.00
.65
.85 1.10

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

	3 tor
HEUCHERA	
Girandole Robusta. New. A larger form with flowers of	
deeper color each 40c	1.10
Micrantha. Panicles of small pink-white flowers. Height	
1½ ft each 40c	1.10
Pluie de Feu. Very large scarlet flowers. Free flowering. 18	
in each 50c	1.40
Rosamonde. Large rosy bells on tall branching stems. each 30c	.85
Sanguinea. Coral pink flowers on 18 in. stems each 30c	.85
Sanguinea Maxima. Improved form of Sanguinea. Sturdy	
growth and large brilliant red flowers each 40c	1.10
Sanguinea Var. Shirley. New. Bright red blossoms. Very free	
flowering. A splendid hybrid. Long season of bloom each 35c	1.00



Helianthemum Praecox

IRIS—Pumila Atroviolacea. Pretty early blooming species with lovely maroon-red flowers each 30c	.8:
KALMIA	
Polifolia. Dwarf evergreen shrub with heads of dainty pink	
flowers. 12 to 16 in. North America each \$1.50	
Polifolia Microphylla (Alpine Laurel). Beautiful diminutive	
evergreen with bright pink flowers. Acid soil each \$1.50	

PINK, ROSE AND RED (CONTINUED) 20 SPRING AND EARLY SUMMER 3 for **LEWISIA**—Our plants of Lewisias are very fine specimens. Lewisias should have good drainage and partial shade. Sandy, leaf soil, good loam. Natives of North America. Columbiana. Rosettes of spiny foliage. Sprays of pale pink and white flowers. each 35c 1.00 Columbiana Rosea. Rosy-lavender flowers. Long blooming period. each 35c 1.00 Finchii. Large fleshy rosettes. Beautiful soft pink flowers with deep pink stripe down the center of each petal. Very fine. each 75c 2.00 Heckneri. Ovate dark green leaves delicately margined with stiff hairs. Salmon rose flowers. each 75c 2.00



Lewisia Howellii

Howellii. Rosettes of fleshy crinkly leaves and charming buff colored flowers. Petals striped with rose color. One of the	
best each 75c	2.00
Leeana (Evergreen Lewisia). Slender pine-like leaves. Clusters of small deep rose flowers each 50c	1.40
Rediviva. Long needle leaves. Large waxy pink flowers. Deciduous species each 40c	1.10
Tweedyi. The largest flowered Lewisia. Waxy apricot flowers, 2 to 3 in. across. Very lovely each 75c	2.00

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

	3 for
LYCHNIS	
Flos-Cuculi. Narrow lanceolate leaves; loose panicles of pink	
or red flowers. North America each 40c	1.10
Lagascae. Beautiful dwarf Alpine with bright rose flowers;	
white center each 30c	.85
Viscaria Splendens Fl. Pl. Large heads of intense crimson	
flowers. Height 1½ ft. May and June. Northern Asia. each 35c	1.00
ONONIS-Rotundifolia. A sub-alpine of great merit. Large	
rose colored flowers. Height 12 in. June and July. Rare.	
North America each 75c	2.00



Kalmia Polifolia

OXALIS—Adenophylla. A rock garden gem of rare beauty. Finely cut foliage of glistening silver among which nestle large blossoms of softest pink. A light well-drained soil in full sun. Height 3 in. Rare and very choice each 75c PACHYSTIMA—Canbyii. Low evergreen shrub. Small pale pink flowers. North America. Very fine. each 50c and \$1.00	2.00
PHLOX	
Adsurgens. Forms loose mats set with narrow, glossy, bright green leaves. Clusters of large salmon pink and white flowers. Height 6 in. This should be grown in partial shade.	
A valuable addition to the rock garden each 75c Amoena. Green foliage which is very attractive. Deep rose	2.00
flowers. Late bloomer each 30c	.85

PINK, ROSE AND RED (CONTINUED)	22
SPRING AND EARLY SUMMER	3 for
PHLOX	0 101
Cowardi. Rare type with lovely crimson blooms most of the	
summer each 50c	1.40
Kelseyi. New. Beautiful spreading mat. Narrow green foliage	
margined with white. Lovely bright rose-lilac flowers. ea. 75c	2.00
Stolonifera Reptans. A creeping woodland plant with hairy	
stems and oval leaves, crowned with dark rosy blossoms.	
Half shade. Leaf soil each 40c	1.10
Subulata Apple Blossom. Fine pale pink blossoms. each 40c	1.10
Subulata Atropurpurea. Compact dark green foliage. Deep	
wine colored flowers. Choice each 35c	1.00
Subulata Vivid. Salmon-rose flowers. Very fine each 30c	.85
POTENTILLA—Nepalensis. Silvery foliage and branching	
stems. Brilliant cherry colored flowers. Himalayas. A beau-	
tiful variety each 35c	1.00



Primula Frondosa

PRIMULA	
Acaulis Rosea. A rare and beautiful type with large rose	
flowers. Long season of bloom each 40c	1.10
Clusiana. A beautiful species from Austria with large umbels	
of rosy-lilac flowers dotted with a white eye. Lime and	
sun each 75c	2.00

PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

PRIMULA	3 for
Cortusoides. Fine species with rosy purple flowers. Height	
1 ft. May and June. Siberia each 25c	.65
Edina. Rose flowers. A profuse flowering form, the bloom	
continuing for a long period each 60c	1.65
Farinosa. Umbels of rosy-lilac flowers in early summer.	
Height 6 in. Europe each 30c	.85
Frondosa. Mealy white foliage. A species with rosy lilac	
flowers. Spring. Height 5 in. Balkans each 35c	1.00
Integrifolia. Umbels of rose lilac flowers one in. across. Alps	
and Pyrenees each 75c	2.00
Japonica American Beauty. Deep rose-colored flowers in long	
spikes. 1 ft. Japan. Late spring each 50c	1.40
Japonica Hybrids. Splendid strain with large rose colored	
flowers. Long season of bloom each 30c	.85



Rhododendron Racemosum

Officinalis. Very pretty species. Flowers range from pink to	
mahogany each 30c	.85
Pulverulenta. Gorgeous bog Primula. Rich crimson flowers.	
Height 1½ ft each 35c	1.00
Saxatilis. New. Umbels of rose-lilac flowers, 3/4 in. across.	
Height 10 in. Northern Asia each \$1.00	2.75
Secundiflora. Lovely crimson bells on 12 in. stems.	
	1.40
Sieboldii. Scalloped oval leaves. Umbels of pink, white or red	
flowers. Spring. Supply limited each \$1.00	
Wulfeniana. Rare. Dark glossy green leaves. 2 in. stems bear-	
ing an umbel of large rosy lavender flowers. Choice dwarf	
species. Eastern Alps each \$1.00	2.75


PINK, ROSE AND RED (CONTINUED) SPRING AND EARLY SUMMER

3 for

RHODODENDRON	3 10 r
Ferrugineum. Fine dwarf species with beautiful large pink blossoms. Spring each \$2.00	
Racemosum. Racemes of beautiful pale pink flowers. Dwarf species from China. April and May each \$2.50	
Other fine types suitable for the rock garden are:	
Indicum Beni Kirisima each \$3.50	
Indicum Satsuki each \$3.50	
Indicum Macrantha each \$3.50	
Indicum Macrantha Orange each \$3.50	
Sp. Kocho-No-Kawa each \$3.50	
Sp. Illuminata each \$3.50	
Sp. Mrs. Carmichael each \$3.50	
Sp. Osakazuki each \$3.50	
Sp. Wareigishi each \$3.50	
Sp. Yazakura each \$3.50	
SAPONARIA —Ocymoides. Trailer with masses of bright pink flowers. Swiss mountains. May and June each 25c	.65
SILENE	
Californica. Large velvety scarlet flowers. Requires deep light soil, well-drained and a sheltered sunny place each 40c	1.10
Hookeri. Soft blue-grey foliage and very beautiful large coral pink flowers. 6 in. June. Choice. North America each 50c	1.40
TELLIMA—Grandiflora. Rich colored foliage intensified by the winter. Flowers pink or deep rose. North America. Fine each 50c	1.40
THLASPI — Limosellaefolium. Rare. High Alpine plant.	
Fragrant rosy-lilac flowers. Spring and summer. each 30c	.85
VERONICA	
Pectinata Rosea. New. A small trailer with attractive grey green foliage and bright pink blossoms. Spring. Very lovely	1.10
Repens Rosea. Leaves feathered in broad segments. Pink	1.10
flowers each 50c	1.40
VIOLA	
Bosniaca Crimson King. New. Large mats covered with large crimson flowers. Very free flowering and fine each 50c	1.40
Odorata Rosina. The new pink hardy Violet. Very fragrant. Charming new color combination of pink and old rose.	1 10
Partial shade. Well drained soil each 40c	1.10
Sylvestris Rosea. Dwarf species with fine rosy pink flowers. Height 5 in each 35c	1.00

BLUE, LAVENDER AND PURPLE SPRING AND EARLY SUMMER

SPRING AND EARLY SOMMER	3 for
AJUGA—Reptans Variegata. Mats of handsome variegated foli-	3 101
age and short spikes of light blue flowers making a fine contrast to the fine pale green and white foliage. each 50c	1 40
ANCHUSA—Myosotidiflora. Ovate leaves, large and heart	1.40
shaped at the base. Blue forget-me-not-like flowers. Caucasus	.85




Androsace Primuloides

ANDROSACE—Good drainage, gritty loam and sunny situation.	
Primuloides. A compact form from the Himalayas. Rosettes of grey-green foliage and soft lavender blossoms. True	
form each 50c	1.40
Sempervivoides. Small rosettes of oval leaves. Rosy-lavender flowers. Himalayas each 75c	2.00
ANEMONE	
Blanda. Brilliant soft blue flowers with small golden center. Greece each 50c	1.40
Pulsatilla (Pasque Flower). Deep rich purple flowers. Very	
desirable. 9 in each 30c	.85
AQUILEGIA	
Caerulea. Violet-blue and white flowers. Long spurs. Colo-	
rado. Shade and leafmold each 35c	1.00

BLUE, LAVENDER AND PURPLE (CONTINUED)	26
SPRING AND EARLY SUMMER	0.5
AQUILEGIA Glandulosa. Beautiful large blue and white flowers. Spring	3 for
and early summer. Siberia. Ht. 1 ft each 75c	2.00
Jucunda. (Siberian Columbine). Broad sepals of powder blue	
with clear white petals each 50c	1.40
ASTER—Sandy loam in full sun.	
Alpinus. An abundance of violet blue flowers with center of	
bright gold. North America each 25c	.65
Alpinus Dark Beauty. Form with dark blue flowers. each 25c	.65
Alpinus Nancy Perry. A fine variety of dwarf Aster with lavender blue flowers and golden center. Ht. 8 in. each 25c	.65
ATRAGENE — Alpina (Clematis Alpina). A low rambling	.03
species seen at its best trailing among rocks in the rock	
garden. Drooping flowers of light purple in early summer.	
Alpine woodlands each 75c	2.00
BELLIS-Rotundifolia Caerulescens. Tiny rosettes of green	
leaves and charming blue Daisy-like flowers. 3 in. Morocco.	
A gem each 40c	1.10
DIANTHUS—Superbus. One of the most beautiful of the	
family with very large lacy blossoms of pale lavender,	
having a strong scent of orange blossoms. Europe. Limy soil each 40c	1.10
	1.10
DRABA—Pyrenaica. (The Rock Beauty). A native of the High Alps. Tiny tufts of foliage covered with fragrant soft lilac	
flowers. Rare and fine each \$1.00	2.75
ECHINACEA — Angustifolia (Brauneria angustifolia). Low	
foliage with short silvery hairs. Heads of light purple	
flowers. North America each 35c	1.00
EDRAIANTHUS—Pumiliorum. Tufts of narrow leaves. Large	
bell flowers of clear lavender. Height 2 in. Very	
fine each 50c	1.40
EPIMEDIUM—Violaceum. Orchid-like blossoms of lavender.	
Shade each 60c	1.65
ERICA — Vulgaris Aurea. Golden foliage with lilac	
flowers each 50c and \$1.00	
ERINUS—Alpinus. Small compact plant with fine foliage covered with rosy lavender flowers. Spring each 30c	.85
GENTIANA—Acaulis. Large blue trumpets. 4 in. Sun. Alps	.03
and Pyrenees each 75c	2.00
GERANIUM—Ibericum. Fine blue flowers. Its broad lobed	2.00
leaves take on brilliant coloring in autumn each 50c	1.40
HABERLEA	
Ferdinand-Coburgi. Rosettes of green leathery leaves.	
Gloxinia-like lavender flowers, speckled inside with gold. Balkans. Rare and choice each \$1.00	2.75
Rhodopensis. New. Handsome dark green rosettes. Pale lilac	2./3
flowers speckled with gold. 3 to 4 in. Closely related to	
Ramondia. Balkans each \$1.00	2.75

BLUE, LAVENDER AND PURPLE (CONTINUED)	28
SPRING AND EARLY SUMMER	3 for
PHLOX	
Douglasii. Large blossoms of lavender pink completely cover	
the plants. Creeping stems form large mats. Delightfully	
fragrant. Blooms all summer each 50c	1.40
Subulata G. F. Wilson. Pale lavender blossoms with blue	
eye each 25 c	.65
PHYTEUMA—Full sun. Sand and leaf soil. These plants are	
rare and interesting.	
Hemisphaericum. Grass like foliage. Heads of soft blue	
flowers. High Alps. Height 6 in. Choice each 50c	1.40
Orbiculare. A pretty dwarf Alpine with balls of deep blue	
flowers. Europe each 50c	1.40
Scheuchzeri. Slender stems carrying heads of blue	
flowers each 35c	1.00
Spicata Nigra. New. Rare form. Leaves marked with dark	_,,,
chevrons. Spikes of lovely blue flowers. Spring and summer.	
Very fine each 50c	1.40
Wagneri. New and rare. Heads of fine dark lilac flowers above	
attractive foliage. Spring and summer each 50c	1.40



Double Flowering Primrose

POLEMONIUM

Confertum. New and very rare. A beautiful North American rock plant bearing heads of violet colored flowers which are very fragrant. Light gritty soil in sun. Garden lovers in England are very enthusiastic over the beauty of this plant. Supply limited. each 75c

SPRING AND EARLY SUMMER

OLEMONIUM	3 fo
Humile. A new charming dwarf with ferny foliage and pale	
blue or lavender flowers. Height 4 in. Arctic regions. each 60c	1.6
Reptans. Ferny foliage. Lovely blue flowers each 30c	.85



Ramondia Pyrenaica

PRIMULA	
Acaulis Atropurpurea. Fl. Pl. Double flowering form with	
lavender flowers. Supply limited. Fine each \$1.00	2.75
Acaulis Heavenly Blue. A rare and beautiful type with large	
blue flowers each 60c	1.65
Acaulis Miss Massie. (Selected blue). Large blue flowers.	
Spring. Europe. Ht. 6 in each 50c	1.40
Capitata. Leaves covered with white farina. Rich violet	
flowers. Height 9 in. Very fine each 35c	1.00
Chrysopa. Lilac blue heads on slender stems. Very distinctive.	
China each 50c	1.40
Conspersa. Lilac flowers with orange eye and yellow tube.	
Height 10 in. China each 50c	1.40

BLUE, LAVENDER AND PURPLE (CONTINUED)	30
SPRING AND EARLY SUMMER	3 for
Clauses and The leaves are stiff leathers and glossy Heads	*
Glaucescens. The leaves are stiff, leathery and glossy. Heads of lovely lilac purple flowers. Alps each \$1.00	2.75
Glutinosa. Rare. Tufts of narrow dark green leaves. Beautiful	
violet flowers in clusters. Height 4 in. Acid soil. Supply	275
limited	2.75
Early flowering each 50c	1.40
Juliae Hybrids. A hybrid of the above with lovely glowing	0.75
purple flowers. Exceptionally fine each \$1.00 Nutans. Supply limited. Narrow, hairy leaves and densely	2.75
powdered stamens carrying an umbel of large lavender blue	
flowers. Very beautiful each \$1.00	2.75
Sino Purpurascens. Deep purple flowers in loose trusses each 75c	2.00
PULMONARIA — Saccharata. Handsome silver and green	2.00
marbled foliage. Rich blue flowers. 12 in. high each 35c	1.00
RAMONDIA—Pyrenaica. Deep green crinkly leaved rosettes.	
Large lilac blue flowers with golden centers. Very choice.	
Shade each \$1.25 SISYRINCHIUM	
Gramineum. Grassy tufts with tiny sword-like leaves. Delicate	
blue flowers each 40c	1.10
Tanacetifolium. A fine type. Grassy foliage and bright blue	1 10
flowers each 40c Varians. Light blue flowers. Grassy foliage. North America.	1.10
Height 1 ft each 35c	1.00
SOLDANELLA—Alpina. Dwarf alpine. Lovely violet bells	
on 3 in. stems. Blooms in very early spring each \$1.00	2.75
SYNTHYRIS	
Rotundifolia. Spikes of pale blue flowers each 50c	1.40
Sweetseri. Beautiful foliage and rich violet colored flowers on 4 in. stems. Very fine. North America each 90c	2.45
THLASPI—Violascens. Flowers of pale lilac. Mountains of	
Asia Minor. Height 4 in. Rare and fine each 40c	1.10
VERONICA	
Filiformis. Trailing evergreen. Flowers of blue with white lip	
which almost hide the foliage in early spring. Asia Minor each 30c	.85
Gentianoides. Large tufts of foliage from which rise large	.03
pale blue flowers. A very fine form from Europe. each 30c	.85
Pectinata. Mats of velvety grey leaves covered with lovely	.85
azure blue flowers. Spring each 30c Prostrata. Lovely trailing species. Brilliant blue flowers.	.03
Europe and Asia each 30c	.85
Quateriana. Fine form with beautiful blue flowers. each 35c	1.00
Repens. Trailing species. Large pale blue flowers.	.85

green leaves and attractive white flowers. each 25c

AJUGA—Reptans. Prostrate plant forming masses of bright

 2.00

. .65

SUMMER AND EARLY AUTUMN	3 for
LYSIMACHIA—Clethroides. Long spikes of white flowers.	1.00
China and Japan each 35c MENZIESIA—Polifolia Alba. Heath-like shrub. Bell-shaped	1.00
white flowers. Very attractive each 50c and \$1.00	
MICROMERIA—Rupestris. Herb. Fragrant foliage: Heath-like effect when in bloom. Abundance of white flowers with	
lavender spots. All summer. Europe each 30c	.85
NIEREMBERGIA—Rivularis. Carpets of dark green leaves. Profusion of large white flowers on 1 in. stems. All summer. Full sun. Sandy soil each 35c	1.00
OENOTHERA—Caespitosa. Large fragrant flowers of pure	
white turning a blush pink. 4 in. Very fine each 50c	1.40
ONOSMA—Albo-Roseum. Silvery grey leaves. Large white flowers that fade to pink. Rare. Full sun. Asia Minor. each 75c	2.00
OXALIS—Floribunda Alba. (Wood Sorrel). Attractive white	1.40
flowered variety. Blooms continuously each 50c PARONYCHIA — Serpyllifolia. New. Good ground cover.	1.40
Creeping, rooting perennial. Flowers in dense silvery white heads. Europe each 35c	1.00
PENTSTEMON—Albidus. Glabrous foliage and lovely white	
blossoms during July and August. Height 8 in. Sun and sandy leaf soil. North America each 50c	1.40
PLATYCODON—Mariesii Album. Very fine dwarf variety.	0 =
Large white flowers. Full sun. Mid-summer. Asia. each 30c	.85
PRUNELLA—Laciniata Alba. Spikes of white flowers. July to September. Europe. Rich sandy soil each 30c	.85
RODGERSIA — Sambucifolia. Introduced from China by Wilson. Large fern-like foliage with tall panicles of fine white flowers. For background or border. Sun. Rare. ea. 75c	2.00
ROSA—Foliolosa. A charming dwarf rose with single white	_,,,,
blossoms produced through summer and autumn in great profusion. North America each \$1.00	2.75
SHORTIA—Galacifolia. (Oconee Bells). Lovely oval shaped	
foliage turning crimson in autumn. Large white flowers, 1 in. across. North America each 35c	1.00
SILENE	
Maritima Fl. Pl. Blue-grey leaves. Large crinkled white blossoms. All summer	.85
Monachorum. New. Narrow glossy green leaves. Dainty white	.03
flowers on 2 in. stems. All summer each 50c	1.40
Saxifraga. Mossy growth. White flowers in great profusion each 30c	.85
STACHYS — Corsica. Dwarf carpeter. Pale pink and white	
flowers. All summer. Dry sunny place. Sandy soil. each 60c TRADESCANTIA—Virginica Alba. Slightly dwarfer type than	1.65
T. Virginica with lovely white flowers. Blooms all summer.	
North America each 40c	1.10

YELLOW AND ORANGE (CONTINUED)

34

YELLOW AND ORANGE (CONTINUED) SUMMER AND EARLY AUTUMN

SOMMER AND EARLY ACTOMIN	3 for
LINARIA — Dalmatica. Ornamental glaucous blue foliage. Bright yellow flowers. An unusual and distinct plant. ea. 50c	1.40
LINUM—Flavum. Large golden flowers on stems 8 to 10 in. Beautiful hardy perennial for the rock garden. Europe. ea. 35c	1.00
LYSIMACHIA	
Ciliata. An attractive shrublet with bright yellow flowers. All summer each 75c Verticillata. A shrub with good foliage and clusters of bright yellow flowers. Supply limited each \$1.00	2.00 2.75
OENOTHERA—(Evening Primrose). Fruticosa Major. Glossy leaved plant with golden yellow	
flowers each 30c Fruticosa Youngii. Large shiny leaves. Showy yellow flowers.	.85
Profuse bloomer. About 18 in. tall each 30c Missouriensis. Fine trailer. Enormous soft yellow flowers.	.85
North America each 30c	.85



Santolina Incana

ONOSMA—Tauricum. Grey foliage. Clusters of soft yellow bells. Very fragrant. July to Sept each 75c	2.00
PARDANTHUS—Chinensis (Blackberry Lily). Orange flowers spotted with red. The caps split in autumn leaving a column of seeds resembling the blackberry. North America. each 50c	1.40

YELLOW AND ORANGE (CONTINUED) SUMMER AND EARLY AUTUMN	36
POTENTILLA	3 for
Reptans. Creeping type with fine foliage and a great profusion of dainty yellow flowers. Summer and autumn. Very useful for walls	.85
and autumn. Rare each 60c	1.65
SANTOLINA — Incana. Low spreading bushes with woolly silvery grey leaves. Golden flowers. Fragrant herb. Sun each 30c	.85
SCUTELLARIA—Orientalis. Semi-prostrate grey-green foli-	1 00
age and yellow flowers each 35c SENECIO—Incanus. Rare. White felted foliage and masses of deep golden flowers during July and August. High	1.00
Alps each 50c	1.40
TANACETUM—Sp. Balkans. Masses of fern-like silvery leaves;	1 40
fluffy yellow flowers in summer. Fine and rare each 50c TETRANEURIS	1.40
Simplex. New. Neat clustered rosettes of lance-like leaves edged with silver and golden daisy blossoms on leafless	
stems 4 to 6 in. high in June and July. Fine each 35c Stenophylla. Narrow green basal leaves. Yellow Daisy-like	1.00
flowers each 35c	1.00
ULEX—Europaeus. Spiny shrub with fragrant yellow flowers.	1.40
Europe each 50c XANTHOXALIS—Stricta. (Yellow Wood-Sorrel). Low herbs	1.40
with many leaves; yellow flowers each 25c	.65
PINK, ROSE AND RED	
Summer and Early Autumn	
ABELIA — Grandiflora. Lovely evergreen shrub. Pale pink flowers. All summer each \$1.50	4.00
AMPHICARPA MONOICA — A trailing vine for shady spots. Particularly useful as a covering for bulbs. Rose blossoms each 50c	
ANDROSACE—Lanuginosa. Trailing silvery stems. Lovely	
soft rose flowers over a long period. Good drainage, gritty soil and sunny situation each 50c	1.40
ARMERIA — Cephalotes Rubra (Bee's Ruby). Giant Thrift. Large rosy heads. 10 in. Rare and fine each 50c	1.40
ASTILBE	20,0
Chinensis. A very effective dwarf plant with ornamental	
bright green foliage and spires of pink flowers. Rare. True form each 50c	1.40

	3 101
ASTILBE Chinensis Pumila. Dwarf habit. Erect flowers spikes of lilac	
rose. Height 6 in each 75c	2.00
BOLTONIA—Latisquama Nana. A beautiful dwarf form of the	
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
border type with a profusion of pink Daisy-like flowers in	65
late summer and autumn each 25c	.65
CALLIRHOE — Involucrata. Trailing habit. Showy crimson	
flowers. All summer and autumn. Full sun each 25c	.65
	.00
CHEIRANTHUS—Vulcan Improved. Dwarf habit. Fine bushy	
plant with large velvety crimson flowers each 40c	1.10
CONVOLVULUS — Nuttallianus (Evolvulus Nuttallianus).	
Several leafy stems 6 in. high with small pink flowers.	
Several leary stems o m. mgn with sman pink nowers.	
Belongs to the Morning Glory family although it is non-	4
twining and not weedy each 35c	1.00
CRACCA — Virginica A shrublet with pinnate leaves. Many	
flowers of creamy yellow. The wings are bright rose-	
nowers of creamy yellow. The wings are bright rose-	1.00
pink each 35c	1.00
DIANTHUS—Full sun in sandy loam.	
Beatrix. Lovely double pink flowers. Height 9 in. All	
summer each 50c	1.40
Monticola. Very large deeply fringed pink flowers. A beau-	10
	1.10
tiful type from Japan. New each 40c	1.10
Neglectus. True form. Neat little grassy tufts. Bright pink	
flowers with a buff reverse, 6 in. stems. One of the	
finest each 35c	1.00
Plumarius Highland Queen. Deep rose colored flowers in	
great profusion. Height 6 in. Fine each 50c	1.40
	1.70
Seguieri. New. Leaves broadly linear. Fine pink flowers,	
faintly dotted with purple. June to Sept each 50c	1.40
DICENTRA	
Eximea. Fern-like foliage. Graceful arching stems. Drooping	
man on sint downers Month America Height 10 in All	
rose or pink flowers. North America. Height 18 in. All	0.5
summer each 30c	.85
Formosa. Similar to D. Eximea, but somewhat stronger	
growing. 12 in. tall covered with lovely pink flowers from	
spring until early frost. North America each 30c	.85
	•••
EPILOBIUM—Roseum. Attractive foliage and beautiful rosy	1 00
flowers. July and August. Native of Great Britain. each 35c	1.00
ERICA — Vagans. Rose colored flowers. July to October.	
each 50c and \$1.00	
ERIGERON—Sandy soil. Full sun.	
Alpinus. True form. Soft pink daisy-like flowers. Rare alpine.	
Very dwarf each 30c	.85
	.03
Mucronatus. Dainty green foliage and small pink and white	
daisy-like flowers. One of the most persistent bloomers in	
our gardens during the summer and autumn each 35c	1.00
Multiradiatus Roseus. New. Large rosy flowers and downy	
foliage. 9 in. high. Himalayas each 30c	.85
	.55

PINK, ROSE AND RED (CONTINUED)	38
SUMMER AND EARLY AUTUMN	3 for
ERODIUM—Full sun. Sandy leaf soil and loam. Chamaedryoides Roseum. A tiny alpine. Tufts of glossy crinkled leaves with pink flowers. All summer each 75c	2.00
Manescavi. Strong flower stalks bearing showy fuchsia colored blossoms. An abundance of bloom all summer and autumn. Pyrenees	2.00
and fine each 75c Trichomanefolium. Deeply cut ferny leaves. Rose colored flowers with the two upper petals marked in	2.00
lavender each 75c	2.00
FELICIA—Petiolata Rosea. Small pink Daisy-like flowers. Trailing plant. For wall or rock garden each35c	1.00
FUCHSIA—Gracilis. A fascinating dwarf with upright slender branches of 10 or 12 in. bearing a long succession of bright ruby and violet colored blossoms. Full sun, and sheltered spot. Needs winter protection each 75c	2.00
GERANIUM—Cinereum. Silvery foliage. Pink flowers with	2.00
dark stripes. Alpine region each 75c GEUM—Full sun and rich loam.	2.00
Chiloense Atrosanguineum. Hairy toothed leaves and scarlet flowers, ½ in. across. Chile each 50c Fire Opal. Large wide-open flowers shading from scarlet to	1.40
crimson. 18 in. tall each 50c	1.40
GYPSOPHILA	
Acutifolia. Beautiful pale pink flowers. Height 18 in. each 25c Rokejeka. Tall and graceful with rather large rose colored	.65 1.00
flowers. All summer each 35c INCARVILLEA—Variabilis. Shrubby species with beautiful	1.00
rose colored flowers. Very fine each 75c	2.00
LINARIA—Canon Went. New. A charming plant with grey-	
green foliage covered with soft pink flowers. All autumn each 50c	1.40
LYCHNIS	_,,,
Alpina. Neat tufts of narrow leaves. Pink flowers. Arctic and Alpine regions. 2 to 3 in each 25c Arkwrightii. Hybrid. Beautiful flame colored flowers on 6 in.	.65
stems each 35c	1.00
MALVASTRUM—Coccineum. Low herb with branching stems and lobed leaves. Salmon-pink flowers all summer. each 35c	1.00
OENOTHERA—(Evening Primrose). Mexicana. Small bright rose flowers. All summer. Height 6 in each 25c	65
Taraxacifolia. A fine dwarf species with procumbent stems. Beautiful flowers about 4 in. across open a glistening white and turn a soft pink the second day. Blooms continuously through summer and autumn each 50c	1 40
the cultivate currence and authorities and aut	1.TU

PINK, ROSE AND RED (CONTINUED) SUMMER AND EARLY AUTUMN

	3 for
ONOSMA — Emodi. Small bright rose flowers. All	3 101
summer each 75c	2.00
PAPAVER - Pilosum. Handsome blue-grey foliage. Large	
salmon colored flowers. Height 2 ft each 35c	1.00
PENTSTEMON	
Rupicola. Trailing dwarf form with mats of tiny grey-green	
leaves. Brilliant red flowers. North America each 60c	1.65
Torreyi. A graceful plant with long stems bearing spires of	
brilliant scarlet flowers. All summer. 2 ft. tall. For back-	
ground of rock garden. North America each 30c	.85



Rosa Roulettii

POLYGONUM Affine. Rare. Forms small clumps of light green leaves, topped by spikes of pale pink flowers. A very showy and effective plant with long season of bloom. Late summer and autumn. Full sun or partial shade. each 50c 1.40 Vaccinifolium. Trailing masses of glossy green foliage produce in autumn a profusion of lovely rose-pink flowers. Himalayas. 2' to 3 in. each 75c 2.00 POTENTILLA Fulgens. New. A lovely type with bright shiny foliage and fine reddish-amber blossoms. Long period of bloom. Himalayas. September. each 50c 1.40 Nitida. Supply limited. The gem of the race. Silvery foliage covered with charming pink blossoms during late summer and early autumn. Rare. Full sun. Poor soil. each 75c 2.00 Salmon Beauty. Brilliant coppery-salmon flowers. Very valuable for the rock garden. each 35c 1.00 RODGERSIA—Aesculifolia. Large ornamental foliage with tall plumes of rosy-white flowers. each 75c 2.00

PINK, ROSE AND RED (CONTINUED) SUMMER AND EARLY AUTUMN	40
ROSA—The following list of Roses are all dwarf and a great addition to the rock garden. They bloom throughout the summer and autumn. Hardy.	3 for
Nitida. Pretty low growing bush rarely exceeding 18 in. Handsome glossy foliage and bright rosy-red flowers	•
North America each \$1.25 Polyantha Nana. Dwarf. Charming pink semi-double blos-	3.25
soms each \$1.25 Prairie Rose. Erect stems 16 in. high. Large fragrant pink	3.25
flowers often dotted with red each \$1.00 Roulettii. Very dwarf. Pretty pink blossoms all summer.	2.75
Keeps its leaves all winter. True form. Very rare. Small size	
SIDALCEA—Hybrida. A handsome plant for the background.	
Ornamental foliage and panicles of small Mallow flowers produced in late summer in white, pink and lavender color-	
ings. Very showy. 12 to 15 in. tall each 50c SILENE	1.40
Maritima Rosea. Very useful rock plant with attractive pink blossoms. Summer each 50c	1.40
Schafta. Late flowering Alpine plant from the Caucasus. Leafy tufts. Showy rose-colored flowers. 6 in each 25c	.65
TALINUM—Calycinum. Thick tufts of fleshy leaves. Wiry branching flower stems bearing many large bright pink	
flowers. All summer each 40c TEUCRIUM	1.10
* Chamaedrys. Tiny shrub with glossy dark green leaves and rosy lilac flowers. Southern Europe each 35c	1.00
Chamaedrys Prostratum. More dwarf than the above. Pro-	
strate stems and spikes of rosy lavender flowers. each 60c THALICTRUM—Sp. We have been unable to find the true name for this beautiful plant which resembles T. Aquilegi-	1.65
folium although it is daintier in habit and has a tendency to climb. Covered in late summer with long tubular rosy	
flowers. Plant in semi-shade; leaf soil each 75c TRADESCANTIA	2.00
Bracteata. Very fine dwarf. Mauve and pink flowers. All	1.40
summer, 6 in. high each 50c Brevicaulis. Large rosy-colored flowers on 12 in. stems. A	
charming dwarf. All summer. Sun and sandy soil. each 50c TUNICA	1.40
Saxifraga. Masses of thread-like branches and delicate leaves with a profusion of pink flowers. All summer. Europe.	
each 25c Saxifraga Fl. Pl. Tufted plant with light pink flowers. Double	.65
flowering form. Very fine each 50c VERBENA—Alpina. New. A beautiful trailing plant with	1.40
exquisite wine colored flowers flecked with white. All summer and autumn. Rare and fine each 75c	2.00


BLUE, LAVENDER AND PURPLE	
SUMMER AND EARLY AUTUMN	3 for
ACAENA — Sanguisorbae. Trailing plant with smooth silky leaves. Purple flowers each 50c	1.40
AGAPANTHUS—Mooreanus. A dwarf hardy form of the African Blue Lily. Handsome umbels of rich blue flowers. July	
and August each 60c AQUILEGIA—Pyrenaica. A beautiful variety with deep blue flowers about 2 in. across. Height 1 ft. June and July.	1.65
Pyrenees each 35c	1.00
ASTER—These require sandy loam in full sun. Andersonii. Grass-like basal leaves. Lavender flowers, borne	1 40
singly on slender stems. Very desirable. Ht. 6 in. each 50c Little Boy Blue. Beautiful blue flowers with golden center.	1.40
Neat compact habit of growth. Long blooming period. ea. 35c Patens. A bushy plant with small leaves and many violet	1.00
flowers in late summer and autumn. Height 8 in. each 35c Stracheyi. A fine dwarf type from the western Himalayas.	1.00
Large lavender blue flowers each 50c Subcaeruleus. Large lilac blue flowers. Dwarf type. India each 30c	1.40 .85
Subcaeruleus Leichtlini. Lavender flowers in profusion. ea. 35c Trichiphalus. A very attractive dwarf form with large purple	1.00
flowers. Sikkim. New each 60c	1.65
BORAGO — Laxiflora. Trailer from Corsica. Beautiful pale azure flowers. Good wall plant. New and rare. A valuable addition to the rock garden each 60c	1.65
CAMPANULA Abietina. Bright green rosettes. Flower stems 8 to 10 in. with lovely blue flowers. Profuse bloomer for a long period.	
	1.00
limited	1.65
blue flowers each 40c Caespitosa. Ovate, toothed leaves. Nodding blue flowers.	1.10
Europe. 6 in. high each 50c Carpatica. Long toothed leaves. Abundant open bell shaped	1.40
flowers of bright blue. Height 12 in. Europe each 30c Carpatica Ditton Blue. Large deep blue flowers. Very fine.	.85
Height 8 in each 40c Carpatica Var. Porcelain Blue. A fine hybrid with large pale	1.10
blue flowers in great profusion each 40c Carpatica Riverslea. Very handsome form. Large clear blue	1.10
flowers. Height 12 in. Very fine each 40c Carpatica Wisley Variety. Beautiful mats of bright green foli-	1.10
age and large blue flowers	1.40 1.10

	BLUE, LAVENDER AND PURPLE	42
.	SUMMER AND EARLY AUTUMN	3 for
	IPANULA	3 101
	ollina. Tufts of scalloped foliage. Racemes of lovely deep blue flowers. Height 12 in. Caucasus each 40c	1.10
Ex	ccisa. Pretty alpine species. Myriads of violet bells. 6	1.10
i	in each 50c	1.40
\mathbf{Fe}	nestrellata. Close-growing form. Large lavender open	
f	flowers. Long stamens each 50c	1.40
Ga	arganica. Dwarf trailer. Flowers blue with white center.	1.00
Ga	Italy each 35c arganica Hirsuta. Velvety leaves. Pale blue flowers. 4	1.00
j	in each 40c	1.10
Gl	omerata Acaulis. Pretty dwarf form with clusters of rich	
_ `	violet flowers. Choice each 40c	1.10
	triaca. Pretty dwarf species with a profusion of pale blue	1 6 5
	starry flowers. June and July each 60c	1.65
	atifolia. Toothed leaves and lavender blue flowers. Europe and Asia each 35c	1.00
$L\epsilon$	eutweinii. A monocarpic. Forms a beautiful rosette of	1.00
	scalloped leaves, the 12 in. flower stalk bearing very large	
	pale blue flowers each 50c	1.40
Lo	ongifolia. New. A rare dwarf species from the Pyrenees.	
	The foliage forms rosettes of long narrow leaves. The blossoms are a beautiful violet color appearing in June and	
	July. Very fine each 60c	1.65
M	acrorrhiza. Tufted ovate toothed leaves. Graceful showers	1.05
	of violet bells each 50c	1.40
	archessetti. New. Purple bells, very free flowering. Height	
	9 in. Fine and rare each 50c	1.40
	uralis. Close growing spreading foliage. Tubular violet flowers. Height 9 in. Dalmatia each 40c	1.10
N	orman Grove Seedling. Lovely rare hybrid. Ht. 3 in. each 50c	1.40
Pe	ersicifolia. Violet blue flowers in terminal racemes.	
	Europe each 30c	.85
	etiolata. The color ranges from light lavender to deep blue	1.00
	and purple. Long flowering season. Height 12 in. each 35c ilosa. Foliage tufted. The flower stems rise to 6 in. each	1.00
I I	bearing one enormous broad bell of blue each 50c	1.40
$\mathbf{P}_{\mathbf{S}}$	seudo-Raineri. A charming little plant with very large	2.10
	purple blue flowers. June and July. Height 3 in each 60c	1.65
\mathbf{P}_1	ulla. Small clustered foliage of glossy green. Very slender	
D.	stems and purple bells each 40c	1.10
	ulloides. Wide open purple bells. A choice alpine. each 40c usilla. Dwarf species with dainty bells of pale blue. 4 to 6 in.	1.10
•	A gem for rock crevices. Europe each 50c	1.40
\mathbf{P}	usilla Lissadell. A fine hybrid with deeply cut foliage and a	
	profusion of blossoms each 50c	1.40
R	aineri. Dwarf spreading habit. Ash-grey foliage and lavender	
	blue flowers. One of the choice alpines from Northern	2.00
R	Italy each 75c obsonii. New. A hybrid between Carpatica Var. Turbinata	۵.00
-\	and C. Scheuchzeri with deep blue flowers each 75c	2.00

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN

CAMPANULA	3 for
Rotundifolia (English Harebell). A slender graceful plant with beautiful blue flowers each 30c	.85
Rotundifolia Var. Olympica (Harebell). Large beautiful novelty with pale blue flowers. Slender graceful	
habit each 50c	1.40
Sarmatica. Oblong grey tomentose leaves. Nodding pale blue flowers. Height 2 ft each 40c	1.10
Saxatilis. New. Tufts of oblong leaves. Rich sapphire tubular flowers. Rare. Crete each 50c	1.40
Speciosa. New. A variety of Glomerata with larger flowers. A very showy type	1.10
Sub-Pyrenaica. A form of C. Rotundifolia. Long narrow foliage and a profusion of lovely blue bells each 40c	1.10
Thessalica. A charming variety with lovely blue star-shaped flowers. Fine	1.10
Thrysoides Carniolica. A charming variety with lavender-blue	
star-shaped flowers. Very fine each 40c Turbinata. Violet-blue cup-like flowers, 1¼ in. across.	1.10
Dwarf each 40c	1.10
COMMELINA—Crispa. Semi-creeping plant with jointed stems and bright blue flowers. All summer. A valuable addition to	
the rock garden on account of its continuous bloom. ea. 35c	1.00
CONVOLVULUS-Mauritanicus. Trailer. Blue flowers. All	
summer. Very fine each 50c	1.40
CRAWFURDIA — Trinervis (Creeping Gentian). Pale blue	
Gentian flowers followed by attractive red berries in winter.	
Japan. Sandy leaf soil in partial shade. Summer, autumn. each 75c	2.00
CYANANTHUS—Longiflorus. An exceedingly choice and rare	
plant from the mountains of Yunnan. Rich blue flowers	2.75
DASYSTEPHANA—Porphyrio (Gentiana Porphyrio). Similar	
to G. Acaulis only a taller growing type. Late fall	1 10
bloom. North America each 40c	1.10
DELPHINIUM	
Cashmirianum. Dwarf form. Blue flowers tinted with lavender, blooming over a long period. Sun or shade each 35c	1.00
Chinense. Dwarf form with feathery foliage. Intense blue	1.00
flowers each 35c	1.00
Tatsiense. Pretty species with brilliant blue flowers. China.	
Rare each 40c	1.10
Tom Thumb. Fine dwarf hybrid. Neat habit of growth and long succession of large lavender blue flowers each 35c	1.00
DRACOCEPHALUM	1.00
	1 00
Japonicum. Large lavender blue flowers on erect stems. ea. 35c Speciosum. New. Purple flowers in dense heads. June and	1.00
July. Height 12 in. Himalayas each 50c	1.40

BLUE, LAVENDER AND PURPLE	44
SUMMER AND EARLY AUTUMN	3 for
EDRAIANTHUS	
Pumilio. Dainty blue flowers. An excellent rock plant. ea. 50c	1.40
Tenuifolius. Narrow foliage. Blue flowers in dense bracted heads. Height 6 in. Fine. Dalmatia each 50c	1.40
EPILOBIUM	
Amplectens. New. Bright green lance-like foliage. Summer each 50c Macropus. New. A creeping form with slender stems and charming purple flowers. Shade and leaf soil. Summer.	1.40
mer	1.40
ERICA—Stricta. Dull green, spiny foliage. Tiny bell-shaped rosy purple flowers each 50c and \$1.00	
ERIGERON—Valuable subjects for the rock garden. Sandy	
soil. Full sun.	
Caucasicus. A good dwarf form with a profusion of lavender flowers	.85
Compositus. Tufted plant with dense foliage. White or violet	
flowers. North America each 50c	1.40
Elatior. Lilac or purple flowers, 1½ in. across. Long season of bloom. North America each 35c	1.00
Glabellus. Violet or purple flower heads, Height 1½ ft. North	1.00
America each 25c	.65
Glaucus (Seaside Daisy). Solitary heads of lilac or violet flowers, 1½ in. across each 25c	.65
Hybridus. A fine hybrid form with large deep lavender	.03
flowers each 30c	.85
Macranthus. Large purple flowers. Very effective for the	1.10
background each 40c Mesa Grande. Long narrow rayed daisies of cornflower blue.	1.10
18 in. Summer each 30c	.85
Multiradiatus. Supply limited. New. A fine form from the	1 10
Himalayas. Grey foliage and large mauve flowers. each 40c Pumilus. New. Tufts of grey-green foliage. Mauve flowers	1.10
with deep golden centers each 35c	1.00
Salsuginosus. Purple or violet flowers. 18 in. high. North	
America	.85
age and delicate daisy-like flowers of pale lavender on 2 to 3 in. stems. May to August. Very rare each 50c	1.40
Uniflorus. New. A good type. Large mauve flowers with	1.70
golden centers. Slightly woolly foliage. High Alps. each 35c	1.00
ERODIUM—Macradenum. Tufts of soft green ferny leaves. Pale lavender pink flowers with large purple blotches on two upper petals. Sun. Pyrenees each 75c	2.00
GEOPRUMNON—Crassicarpum (Groundplum). Low trailing	
plant with pinnate leaves and clusters of purple flowers. The inflated seed-pods are very attractive each 35c	1.00



Pool In Late Summer

BLUE, LAVENDER AND PURPLE	46
SUMMER AND EARLY AUTUMN	3 for
GENTIANA Altaica. Magnificent species making a dense tuft of oblong pointed leaves from which rise countless stems half inch	
long each carrying a single large violet blue trumpet shaped blossom each 75c Andrewsii. Closed Gentian. Purplish blue flowers. Height about 2 ft. North America each 25c	2.00
Lagodechiana. Highly satisfactory plant and one of the easiest to grow. Large pale blue flowers. Fine for the	
rockery. July and August each 60c Phlogifolia. Phlox-leaved variety from Transylvania, with fine Gentian flowers each 75c	1.65 2.00
Purdomi. Violet flowers on procumbent stems. Narrow green leaves. Very fine. Tibet each 75c	2.00
Rochellii. Large blue trumpet-shaped blossoms. Dense evergreen foliage each 75c Saponaria. Flowers of brilliant blue. Stems 9 to 12 in. high.	2.00
Moisture loving species each 60c Septemfida. Large flowers of clear soft blue. 9 in. stems. From	1.65
the Caucasus. Partial shade and peaty soil each 75c	2.00
GERANIUM —Sun and sandy soil. Pratense. Large violet blue flowers; 18 in. high each 30c Pyrenaicum. Supply limited. Rounded leaves; purple flowers. Height 12 in. Native of Great Britain. Rare. May to	.85
August	1.65 1.65
GLOBULARIA	1.05
Bellidifolia. New. Charming evergreen Alpine plant with pretty fluffy heads of softest blue each 40c Nudicaulis. New. Fluffy heads of deep blue flowers on 6 in.	1.10
stems. Very fine. Shade and limy soil. Europe each 50c Trichosantha. Globe-like heads of deep blue flowers. A very	1.40
fine alpine each 35c HEDYSARUM—Sikkimensis. New. Grey-green foliage. Attrac-	1.00
tive rosy-purple flowers. Height 6 to 9 in each 50c	1.40
IRIS — Dichotoma. Fan shaped foliage. Branching stems covered with white and lavender flowers. August and September. Very fine and unusual each 50c	1.40
JASIONE	
Humilis. Free flowering variety. Short stalked heads of lovely blue flowers. Height 4 in. Pyrenees each 50c Montana. Heads of small delicate blue flowers on slender	1.40 1.00
stems. Europe each 35c LACTUCA—Lessertiana. Lance-shaped foliage. Neat 12 in. habit. Freely branching. Large lavender-blue flowers. First	1.00
time listed each 75c	2.00

SUMMER AND EARLY AUTUMN	3 for
LAMIUM—Maculatum. Beautiful evergreen plant with variegated leaf. Procumbent stems ending in flower heads of lavender. Continuous bloomer. Sun or shade. North America each 35c	1.00
LAVENDULA	
Atropurpurea Nana. Silvery grey foliage with tiny spikes of purple-blue flowers. Very fine and dwarf each 50c Vera. Shrublet with fragrant foliage and lavender flowers. Mediterranean region each 50c	1.40 1.40
LIATRIS	
Punctata. Stalks covered with fringy lavender flowers. A charming dwarf for high spots in the rock garden. Midsummer bloom each 50c Scariosa. Oblong lanceolate leaves. Lovely blue-purple flowers. North America. Dwarf form each 30c	1.40
LINARIA	
Alpina. Tiny. Trailing blue-grey foliage. Flowers of violet and orange. 3 in. All summer. Rare. Alps each 40c Cymbalaria (Kenilworth Ivy). Trailing species with beautiful	1.10
foliage covered all spring and summer with dainty little orchid-like flowers	1.00
listed	1.40
LINUM	.00
Alpinum. Pretty Flax with large blue flowers. 6 in.	
Europe each 35c Collinum. Low growing species. A profusion of soft blue	1.00
flowers all summer each 50c Narbonnense. Profusion of rich blue flowers, 1½ in. across. All summer. Very fine each 30c	1.40
Perenne. Delicate blue-grey foliage. Pretty pale blue flowers on slender stems. June to September each 30c	.85
LITHOSPERMUM	
Graminifolium. Long, narrow grass-like foliage. Light blue	
flowers. 12 in. Rare and lovely alpine. Northern Italy each 75c	2.00
Petraeum. New. and rare. Neat woody bushlets covered with narrow silvery leaves and a profusion of pale blue blossoms.	
Greece each 75c Prostratum Heavenly Blue. Fine sub-shrubby prostrate	2.00
Prostratum Heavenly Blue. Fine sub-shrubby prostrate species. Deep sky-blue flowers each 75c	2.00

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN	48 3 for
MENZIESIA — Polifolia. Compact evergreen shrub with racemes of large purple flowers each 50c and \$1.00	0 101
MICROMERIA	
Dalmatica. New. Herb with attractive foliage and lavender flowers. Height 10 to 12 in. Fragrant each 25c Juliana. Wiry stems with small fragrant leaves resembling	.65
Satureia though smaller and not so spreading. 8 in. each 30c	.85
NEPETA	
Mussini. (Catmint). Long racemes of lavender flowers and silvery grey leaves. About 1 ft. tall each 30c Nuda. Upright habit with silvery grey leaves, and racemes of	.85
violet flowers. Europe each 35c	1.00
Souv. Andre Chaudron. Large deep blue flowers on 18 in. stems	1.10
to September each 40c	1.10
PENTSTEMON	
Amethyst Gracilis. New. Fine form with large true amethyst	
colored flowers each 50c	1.40
Angustifolia. A dwarf with grey-green foliage. Brilliant sky-blue flowers sometimes tinged with pink each 60c	1.65
Cardwellii. Small thick evergreen leaves. Short spikes of bright purple flowers each 50c	1.40
Erianthera. Showy racemes of large blossoms of warm lavender made more attractive by bearded tongues of deep yellow. Buds pink. Lime. Sun each 75c	2.00
Gracilis. A very desirable small species covered with bloom from July to September. Deep lavender flowers. each 50c	1.40
Menziesii. An excellent plant having tiny evergreen foliage which follows the contour of a rock as closely as Ivy. A	165
profusion of lavender-blue flowers in late spring. each 60c	1.65
Menziesii Var. Davidsonii. A fine hybrid of the above. ea. \$1.00	2.75
Procerus. Lavender blue flowers covering procumbent stems in late summer and autumn. 8 in. Very fine. North America	1.00
Pubescens. Flowers from July to September. Fine foliage. The color of the flowers range from violet and purple to	
white. North America. Height 18 in each 35c	1.00
PLATOCODON—Mariesii. Very fine dwarf variety. Enormous deep blue flowers. Full sun. Midsummer. Asia each 25c	.65
PLUMBAGO Larpentae. A lovely plant covered with azure blue flowers in early autumn. Height 9 in each 30c	.85
PRUNELLA	
Grandiflora. Pretty dwarf plant with deep violet blue flowers. Europe each 35c	1.00

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN

SOMMER AND EARLY ACTOMIN	3 for
PRUNELLA	0 101
Laciniata. Lavender flowers. July to September. Europe. Rich	
sandy soil each 30c	.85
Vulgaris. Procumbent stems and flowers shaded a lovely	
violet color each 30c	.85
Webbiana. A lovely plant forming masses of beautiful foliage.	
Dense spikes of rich lavender flowers. Europe. July to September. Rich sandy soil each 35c	1.00
RUELLIA—Occidentalis. Large violet flowers with darker	1.00
lines on leafy stems 8 in. high each 35c	1.00
	1.00
SCABIOSA	
Caucasica. Large lavender flowers on 10 in. stems. Summer	0.5
and autumn. Caucasus each 30c Graminifolia. Silvery grey leaves and large rosy lavender	.85
flowers. Height 6 in each 50c	1.40
SCUTELLARIA	10
Angustifolia. Grey-green foliage and large deep blue flowers.	
Very fine. July and August each 50c	1.40
Resinosa. (Dwarf Skullcap). Blue flowers with white dotted	
throat on erect leafy stems 8 in. high each 50c	1.40
Sp. New. A very dwarf species from Japan with rosy-lavender	1 40
flowers. Fine and rare each 50c	1.40
SPARAXIS — Pulcherrima. (Angel's Fishing Rods). From	
tufts of upstanding Iris-like leaves spring tall thin arching stems swaying with pretty rosy-purple bells. South Africa.	
(Needs protection in winter). Half hardy each 50c	1.40
STACHYS—Lanata. Foliage resembles white velvet. Bright	1.10
purple flowers 1 ft. high. Caucasus each 30c	.85
STATICE	100
Bellidifolia. A beautiful dwarf form of Sea Lavender with	
rosettes of green leaves and sprays of dainty lavender	
flowers each 50c	1.40
Dumosa. Fine new Sea Lavender with lacy lavender	
flowers each 50c	1.40
SYMPHYANDRA—Wanneri. Narrow sharply toothed leaves.	2.22
Sprays of beautiful violet flowers. 6 in. Europe. each 75c	2.00
THALICTRUM — Dipterocarpum. Lovely spires of mauve	1 10
flowers. Height 2 ft. China each 40c	1.10
TRADESCANTIA	
Occidentalis. Grows to a foot in height. Blue flowers somewhat smaller than T. Bracteata. A persistent bloomer.	
Sandy soil each 35c	1.00
Virginica. Blue flowers. Height $2\frac{1}{2}$ ft. Blooms all summer.	1.50
North America each 30c	.85
VERBENA .	
Bipinnatifida. Prostrate herb with pinnately lobed leaves and	
masses of rosy-layender flowers all summer each 35c	1.00

SUMMER AND EARLY AUTUMN	
VERBENA 3 f	for
Bracteosa. Low spreading plants smaller in leaf and blossom	
than the common garden Verbena. The color is deep.	
lavender. Showy and a long season of bloom each 50c 1.4	40
Canadensis (V. Aubletia). Masses of rosy lavender flowers on	
12 to 18 in. stems. July to October each 40c 1.1	10
Hastata. Erect leafy stems 2 ft. high. Dense spikes of purple	
flowers each 35c 1.0	00
Venosa. A very beautiful variety with quantities of deep helio-	
trope flowers on 8 in. stems. Summer and autumn. Sandy	
soil each 35c 1.0	00



Wahlenbergia Pumilio

VERONICA

.85
1.40
.85
1.00
.85
.85
.85

BLUE, LAVENDER AND PURPLE SUMMER AND EARLY AUTUMN

VERONICA Spicata Nana. Dwarf habit. Spikes of violet blue flowers. Ht.	3 for
5 in. Choice each 50c	1.40
Wardiensis. Handsome evergreen shrub about 12 in. high. Grey-green leaves. Fine blue flowers. Supply limited. ea. 50c	1.40
VIOLA	
Admiration. Beautiful rich purple flowers. Profuse bloomer. each 35c	1.00
Cornuta Blue Perfection. Lovely blue blossoms. All spring	1.00
and summer each 35c Cornuta Papilio. Pretty hybrid. Continuous bloom. Large	1.00
Violet blue flowers in great profusion. Spain and Pyrenees each 30c	.85
Pedata. Deep cut foliage. Pale lavender flowers each 25c	.65
Pedata Bicolor. Deep velvety violet upper petals; pale blue lower petals. The finest of our native Violas. Blooms all	
summer and autumn each 35c	1.00
WAHLENBERGIA (Edraianthus). Dinarica. New and rare. Loose silvery tufts. Quantities of	
large purple bell flowers. Height 2 ft. Europe. Summer.	2.00
each 75c Gracilis. A charming type with large lavender blue bells. All	2.00
summer. New Zealand each 50c Pumilio. Dainty blue flowers. An excellent rock plant. ea 75c	1.40 2.00
Tasmanica. New. Dwarf variety. Dainty bright blue blossoms	
on thread-like stems. Very choice each 75c	2.00
WHITE	
Autumn and Winter (Last of Sept. to March)	3 for
CHRYSANTHEMUM	
Alpinum. A miniature marguerite. 3 in. Sun. Alps each 50c Articum. Decumbent at base. Aster-like flowers, white to	1.40
lilac. Fine for edging paths or to plant at the base of walls. Height 12 in. Arctic Regions each 25c	.65
Coreanum (C. Sibiricum). White flowers with golden center. Flowers often turn to light pink. Remarkable new variety	
from Korea each 35c	1.00
ERICA—Carnea Alba. Nodding white flowers. Blooms all fall	
and winter each 50c and \$1.00 GALANTHUS—Nivalis. (Snowdrops). Lovely nodding white	
blossoms which sometimes appear as early as the last of	
January and bloom over a long period dozen \$1.00 HELLEBORUS—Niger (Christmas or Lenten Rose). Beautiful	
evergreen variety. Large glistening white flowers some-	
times tinted lavender. Blooming period from last of January until March each \$1.00	

WHITE (CONTINUED)	52
AUTUMN AND WINTER	3 for
LEUCOJUM—Vernum. Blooms in late winter or very early spring. Lovely white flowers dotted with green at tips dozen \$1.00	
LONICERA — Fragrantissima. Partly evergreen. Sweetly scented creamy white flowers from December to March. In late summer bright red berries adorn this shrub. 2 to 3 ft each 75c	
SAXIFRAGA—Burseriana Magna. Short, sturdy growth and large white flowers. One of the best each \$1.00	
YELLOW AND ORANGE AUTUMN AND WINTER	
ACHILLEA—Ageratum. Attractive yellow flowers appearing in autumn each 25c	.65
ERANTHIS — Hyemalis (Winter Aconite). Brilliant golden blossoms with collars of bright green leaves. Should be planted in large groups for best effect dozen 75c	
INULA—Ensifolia. Narrow leaved tufts. Golden blossoms. Ht. 6 in. Autumn each 30c	.85
SAXIFRAGA Apiculata. Mats of green spiny foliage. Yellow blossoms. Early spring each 40c	1.10
Elizabethae. Wide green mats. Soft yellow flowers. Very early spring each 60c	1.65
SIDERANTHUS—Spinulosus. Low plants with finely divided greyish leaves. Masses of golden Aster-like flowers in Sept. and October. Very fine each 50c	1.40
SOLIDAGO Glaberrima. (Dwarf Goldenrod). Low herb with stout erect stems and thick clusters of golden flowers each 35c	1.00
Wardii. (Fragrant Goldenrod). Several small stems with smooth green leaves and spikes of yellow flowers. Very	1.00
fragrant each 35c	1.00
PINK, ROSE AND RED AUTUMN AND WINTER	
ANEMONE—Hupehensis. Very ornamental foliage. Pale pink	
or mauve flowers shaded deeper pink on back. 12 to 18 in. Autumn each 30c	.85
ASTER—Mauve Cushion. Cushion-like plants. Lovely pinkish mauve in Autumn each 30c	.85
CYCLAMEN Furnament Lagran handsomely morphed and domestic results	
Europaeum. Leaves handsomely marbled and flowers varying from soft pink to deep rose. Very fragrant. Autumn each \$1.25	3.50

Pleiades. Dainty foliage. Profusion of lavender flowers on 8 in. stems. Autumn. Sun. each 35c

BLUE, LAVENDER AND PURPLE (CONTINUED) AUTUMN AND WINTER	54
 CHIONODOXA—Luciliae (Glory of the Snow). A mass planting of these makes a charming effect. Azure blue flowers on stems 7 to 8 in. high. Early spring dozen 60c CROCUS—Speciosus. Large bright blue flowers with long red anthers and bright yellow throat. Makes a showy display in autumn dozen 75c 	3 for
IRIS Autumn King. Enormous flowers of lavender with deep velvety purple falls. A very handsome plant for the background of the rock garden each \$1.25 Reticulata. Beautiful velvety purple flowers flecked with gold. March dozen \$3.50 SCILLA	3.50
Bifolia. Gentian blue flowers in March. Makes a lovely effect planted with Eranthis Hyemalis dozen 85c Siberica. Blossoms last of February or first part of March. Bright blue bell-like flowers on stems 3 to 4 in. high. dz. 75c VIOLA—Cornuta Papilio. Pretty hybrid. Continuous bloom. Large violet blue flowers in great profusion. Pyrenees. Fall and winter each 30c	.85
MIXED COLORS	
ANEMONE—Coronaria Empress. An exceedingly fine strain from France with very large flowers in several colors. New	1.40
ANTIRRHINUM—Rock Garden Hybrids. A hardy form with beautiful large Snapdragon flowers in colors ranging through pink, rose and yellow. Height 6 in. Blooms practically all summer each 40c	1.10
AQUILEGIA Hybrida Fine mived varieties	0.5
Hybrids. Fine mixed varieties each 30c Vulgaris. Nodding flowers, blue, purple and white. Summer.	.85
Europe. Height 2 ft each 25c AUBRIETIA—Hybrids. These are all charming varying in	.65
color from deep purple to pale lilac. Spring each 25c	.65
BELLIS Longfellow. A fine hybrid with large flowers each 25c	.65
Perennis. (True or English Daisy). White or rose flowers, 2 in. across. Height 6 in. Western Europe. All summer ea .25c	.65
CAMPANULA—Mixed. Fine hybrid seedlings each 25c	.65
DIANTHUS Alwardii Tuftad habit Eina flawara in mana ahadaa arah 25a	<i>C</i> =
Alwoodii. Tufted habit. Fine flowers in many shades. each 25c Plumarius. Mat forming. Flowers rose, varying to lavender,	.65

	3 for
EPIMEDIUM—Mixed. Lovely foliage. For shady spots. Mixed colors. Peat and moisture each 40c	1.10
LUPINUS—Finest mixed each 35c	1.00
PAPAVER—Alpinus. Tufts of finely cut foliage. Flowers of white, rose, yellow or orange. Dwarf species each 30c	.85
POTENTILLA—Double Mixed. Mixture of the best double varieties each 25c	.65
PRIMULA	
Acaulis Hybrids. A fine new hybrid with extra large flowers in various shades of rose, blue and yellow each 35c Auricula Hybrids. A select strain of the well-known Auricula.	1.00
A very fine mixture each 35c	1.00
Cashmeriana Hybrids. Large globular heads of flowers ranging through mauve to purple. 10 in. Himalayas. each 35c Grandiflora Hybrids. A fine strain with particularly large	1.00
flowers in various colors each 40c	1.10
Munstead Strain. Magnificent strain of Polyanthus Primroses. Very large flowers in various colors each 30c	.85
Veris Elatior Polyanthus. A splendid strain of gorgeous color-	0=
ings each 30c Veris Hybrids. Hybrids of yellow Cowslip with clustered	.85
drooping flowers ranging in color from crimson to yellow and pure white. Spring each 25c	.65
VIOLA—Cornuta Hybrids. A mixture of the best Cornuta varieties each 30c	.85
· · · · · · · · · · · · · · · · · · ·	
FOLIAGE PLANTS	3 for
ACAENA	3 101
Argentea. Blue grey foliage and red burr-like flowers Good carpeter. New each 50c Glauca. Good carpeter for spring bulbs. Finely cut blue	1.40
foliage Sun or shade each 35c	1.00
foliage. Sun or shade each 35c Microphylla. Bronze-green leaves with crimson fruits. Sun or	
shade each 40c Novae Zealandiae. Trailing bronze foliage. Tiny scarlet	1.10
burrs each 50c	1.40
Ovalifolia. Lovely bronze green foliage. Creeping form.	
New each 50c Pinnatifida. A native of Chile. New and rare each 50c	1.40 1.40
BERBERIS—Concinna. Deciduous species with very beautiful	1.70
leaves. Silvery white reverse. Carmine red fruits, nearly as	
large as cherries. A fine type. India. New each \$1.25	3.50
COTULA—Squalida. Forms a carpet of minute ferny evergreen foliage. 3 in. Shade. New Zealand each 30c	.85


place. each 35c

SAXIFRAGA

SAXIFRAGA—(Saxifragaceae). No rock garden is complete without a collection of these interesting and beautiful alpines. Their requirements are good drainage and a soil composed of leafmold, loam, a little well decayed cow manure and sand. All types and varieties require partial shade in the Eastern section of this country. They should receive a good top dressing of the above mentioned soil mixture in the spring and autumn, and a light covering of salt hay during the winter.

EUAIZOONIA GROUP—(Encrusted Varieties). These form rosettes of narrow and spatulate shaped leaves, heavily encrusted with lime in most cases, and are extremely orna-

mental in the rock garden.



Saxifraga—Cotyledon Pyramidalis

	3 for
Aeizoon Alba. White blossoms, 4 to 6 in each 30c	.85
Aeizoon Rosea. Sprays of lovely pink blossoms. 9 in. Rosy	
form of above each 35c	1.00
Aeizoon Balcana. Pale green leaves. Sturdy red stems about	
5 inches high bearing large flowers densely covered with	
crimson dots each 40c	1.10
Aeizoon Flavescens. Yellow flowers. Choice each 35c	1.00
Aeizoon Minima. Silvery miniature foliage. White flowers.	
One of the best of the very small types. Very scarce, ea. 40c	1.10

Boryi. Rosettes of short, spoon-shaped leaves. Large white	
flowers borne on 1½ inch stems. Very fine each 75c	
Ferdinandi-Coburgi. Neat cushions of silvery-grey. Bright	
yellow flowers each 40c	1.10
Godseffi. Blue-grey rosettes. Yellow flowers each 50c	
Griesbachii Wisley Var. Blue grey rosettes. Red blooms. In-	
teresting and rare each 75c	
Petraschii. Tight silvery cushions. Large white flowers.	
Choice each \$1.25	
Sancta. Wide masses of short green leaves with broad edges	
of silver beading. Stems of 2 or 3 in. carrying loose trusses	
of bright vellow flowers each 75c	



Saxifraga Petraschii

	, 0
	DACTYLOEIDES GROUP—(Mossies). These form cushions and mossy mats. They are especially nice for place in damp, shady part of rock garden. They like plenty of leafmold and appreciate an extra mulch in spring and fall.
	Affinis. (The Dovedale Moss). Emerald green carpets and pro-
1.00	fusion of white flowers in spring and early summer. Rapid growth. Native of Western Europe each 35c
.85	Ceratophylla. Mats of shining foliage. Large, pure white flowers on branching stems. (Tiny Staghorn) each 30c
.85	Decipiens Alba. Foliage with broad, blunt lobes. White flowers each 30c
.85	Decipiens Mixed. Fine and rare hybrids each 30c Guildford Seedling. Bright crimson hybrid. One of the best.
1.00	each 35c
1.00	H. S. Stokes. Compact habit. Bright carmine flowers, each 35c

2	4	٢.	^	•



Saxifraga Godseffi

DIPTERA GROUP—(Two winged Rockfoils). The members of this section are characterized by having petals of unequal length. They are natives of Japan and China. Practically hardy if planted in a well sheltered position.


Sarmentosa. Attractive white and green mottled leaves. White flowers. June and July. Shade and moisture. each 60c

TRACHYPHYLLUM GROUP—(Rough-leaved Rockfoils). A group of low growing prostrate species. They require a somewhat moist position in stony soil.

Virginiensis. Rosettes of toothed oval leaves. Showers of little white stars. each 25c

.65

	0 101
MEGASIA GROUP — (Large Leaved Rockfoils). These are	
known from all other Saxifrages by their massive size and	
breadth of leafage, and most of them being an evergreen	
character are very effective as hardy foliage plants at all	
times of the year. Plant in sheltered positions.	
Cordifolia. Glossy leathery leaves. Pink flowers on 12 in.	
stems each 40c	1.10
Megasia Hybrida. Fine strain of the large leaved Saxi-	
frages each 50c	



Gentiana Acaulis and Androsace Primuloides

SEDUM

	3 for
SEDUM —Sun loving plants, excellent for walls, dry banks,	
stepping stones, and rock gardens. The majority are well	
worth a place for the low carpets of richly colored foliage.	
Acre. Evergreen carpeter. Yellow flowers each 25c	.65
Acre Elegans. Attractive carpeter for paths. Bright yellow	•••
flowers each 30c	.85
Acre Golden. Neat golden mats each 25c	.65
All and The first the state of	.03
Album. Tufted habit. White flowers on 6 in. stems. Summer.	
Europe each 25c	.65
Altissimum. Blue green foliage. Yellow flowers on 9 in.	,,,,
stems each 25c	.65
Anacampseros. Grey-green leaves. Purple flowers each 35c	1.00
A	
flowers each 35c	1.00
Anglicum. Creeping evergreen making mats. Blush flowers.	
Summer. Western Europe each 25c	.65
Edition Colors Editore Editi 230	.03

	S IOT
Sempervivum. Fat fleshy dark green leaves deepening to	
bronze, resembling a Sempervivum of the Calcareum group.	
Fine pink flowers each 75c	2.00
Sexangulare. Mats of gold. Fine for rock walls each 25c	.65
Sieboldii. Lovely silvery-blue foliage. Trailing variety. Bright	
pink flowers. Autumn. Shade each 35c	1.00
Spathulifolium. Evergreen rosettes tinged with red. Branched	
heads of bright yellow flowers. Very fine each 50c	1.40
Spectabile. Fleshy, glaucous leaves. Pink flowers. 2 ft.	
Autumn each 35c	1.00
Spectabile Brilliant. Red flowering form of the above. each 35c	1.00
Spurium. A creeping plant with broad leaves and flowers of	
bright pink. Autumn each 25c	.65
Tenuifolium. Clustered spiky mats of pale green and white	
star shaped flowers. Rare each 40c	1.10
Ternatum. Evergreen broad leaved tufts. Pure white flowers	
with purple anthers. North America each 35c	1.00
Yosemitense. Rosettes of blue green foliage. Cymes of orange	
flowers on 4 in. stems. New. Rare and very fine each \$1.00	2.75



Sempervivum Arachnoideum

SEMPERVIVUM—Interesting plants of easy culture for sunny situations. Soil should be a light loam containing sand, well rotted manure, leafmold and stone chips. The majority

38 . A 10 37 1 1 1 1 7 TO 1	3 for
Minto Seedling. Very rare hybrid. Large rosettes. Deeply tinged with red each 75c	2.00
Pittoni. Medium-sized rosettes, with a downy surface to the leaf. Pale yellow flowers. Scarce each 50c	1.40
Pyrenaicum. Pale rose flowers in wide heads. From the Pyrenees	2.00
Mixed Varieties. Unnamed dozen \$1.00; hundred \$8.00	
Rubicundum. Large rosettes of reddish color each 60c	1.65
Soboliferum. Pretty golden rosettes each 15c	.40
Tectorum. (Common Hen and Chickens or Roof Houseleek). Rosettes 3 to 4 in. across. Flowers pink-red. Europe and Asia each 25c	.65
Triste. Rosettes of bronzy-green foliage. Purple flowers.	.03
each 40c	1.10
Verlotti. Medium green rosettes, slightly tipped red. each 50c	1.40
Wulfeni. Large sea-green rosettes, slightly red at the tip. Pale yellow flowers in dense panicle. Central Europe. ea. 60c	1.65
THYMUS Aureus Nana. Small bushy type with golden foliage. Very	
fragrant each 35c	1.00
Aureus Vagans. A very unusual form with fine yellow variegated foliage each 50c	1.40
Citriodorus. Small lemon-scented Thyme. Native of North America	.85
Citriodorus Aureus. Golden leaved lemon-scented Thyme. each 30c	.85
Nitidus. Silvery-grey variety with masses of rosy-lilac flowers. Height 9 in. Sicily. Very fine each 50c	1.40
Serpyllum Coccineus. Crimson flowered creeping Thyme. each 30c	.85
Serpyllum Albus. Glossy green mats. Clouds of white flowers in June, July and August. Height 1 in each 30c	.85
Serpyllum Cinereum. A fine creeping form with lilac flowers. each 30c	.85
Serpyllum Lanuginosus. (Woolly Thyme). Creeping habit; strongly scented foliage. Purple flowers. North America. each 30c	.85
Serpyllum (Wild Thyme). Creeping habit. Strongly scented foliage. Purple flowers each 25c	.65
Vulgaris. (Common garden Thyme). The well-known herb.	.00
Fine foliage and lilac flowers. May and June each 25c	.65

HERB LIST

	each	3 for
Anise—Pimpinella anisum	.25	.65
Balm of Gilead—Cedronella cana	.25	.65
Calamintha—Calamintha alpina	.30	.85
Camomile—Anthemis nobilis	.25	.65
Catnip—Nepeta cataria	.25	.65
Chive—Allium schoenoprasum	.25	.65
Citron Thyme—Thymus citriodorus	.30	.85
Common Thyme—Thymus vulgaris	.25	.65
Coriander—Coriandrum sativum	.25	.65
Creeping Mint—Mentha requieni	.30	.85
Dill—Anethum graveolens	.25	.65
Fennel—Foeniculum vulgare	.25	.65
Garden Sage—Salvia officinalis	.25	.65
Germander—Teucrium chamaedrys	.35	1.00
Hoarhound—Marrubium vulgare	.25	.65
Hyssop—Hyssopus officinalis	.30	.85
Micromeria Dalmatica	.25	.65
Micromeria Juliana	.30	.85
Micromeria Rupestris	.30	.85
Peppermint—Mentha piperita	.25	.65
Rosemary—Rosmarinus officinalis	.40	1.10
Rue—Ruta graveolens	.25	.65
Southernwood—Artemisia abrotanum	.40	1.10
Spearmint—Mentha spicata	.25	.65
Sweet Basil—Ocinum basilicum	.25	.65
Sweet Marjoram—Origanum vulgare	.25	.65
Tansy—Tanacetum vulgare	.25	.65
Tarragon—Artemisia dracunculus	.30	.85
Winter Savory—Satureia montana	.35	1.00




Table Garden

TABLE GARDENS are becoming very popular. When properly planted with alpine miniatures they are fascinating and provide great interest during the winter. The list of plants given below have been thoroughly tested in overheated rooms and have proven their adaptability to flourish under these trying conditions.

Saxifraga in variety, Primula Juliae, Cotula Squalida, Rosa Roulettii, Bellium Minutum, Bellis Rotundifolia Caerulescens, Edrianthus, Sedum Oregonum, Sedum Spathulifolium, Soldanella Alpina, Erinus Alpinus, Dwarf Ivies, Dwarf Ferns, Lotus Corniculatus, Mentha Requieni, Houstonia Caerulea, Sedum Dasyphyllum, Raoulia Australis, Achillea Tomentosum, Small types of Sempervivums, Lithospermum.

For "trees" the following may be used:— Aethionemas, Hypericums, Ericas, Small Azaleas, Seedling Evergreens, Dwarf Rhododendrons.

If you will send us the size of the container, we will be very glad to give suggestions on how to arrange the planting and what to use. We also have a collection of beautiful stones to use in the gardens.

DWARF OR SLOW GROWING CONIFERS AND EVERGREENS SUITABLE FOR ROCK GARDENS

We have a list of Dwarf Evergreens which are attractive in the rock garden. This will be sent on application.



Planted Wall

BRIEF LIST OF PLANTS FOR WALL GARDENS IN SUN

ACAENA MICROPHYLLA.
ACHILLEA TOMENTOSA.
ALYSSUM in variety. Top or face.
ANDROSACE LANUGINOSA.
ANDROSACE LANUGINOSA LEICHTLINII.
ARABIS in variety. Toward base.
CALLIRHOE INVOLUCRATA.
CHRYSOPSIS VILLOSA.
CONVOLVULUS MAURITANICUS.
CYTISUS KEWENSIS.
DIANTHUS in variety. Face or Base.
ERIGERON MUCRONATUS.
ERIOPHYLLUM CAESPITOSUM.
ERINUS ALPINUS.
ERIOGONUM CRASSIFOLIUM.

GENISTA PROSTRATA.

69 PLANTS FOR WALL GARDENS IN SUN (CONTINUED)

GENISTA SAGITTALIS.

GERANIUMS. Trailing varieties, top or base.

GYPSOPHILA REPENS. Top or face.

HELIANTHEMUM in variety. Top or base.

IBERIS in variety. Face.

LINARIA ALPINA. Face.

LITHOSPERMUM. Face.

OENOTHERA TARAXACIFOLIA.

ONOSMA in variety.

PHLOX SUBULATA in variety. Toward base.

POTENTILLA TONGUEI.

SAPONARIA OCYMOIDES. Top or base.

SEDUMS in variety. Toward base.

SEMPERVIVUMS in variety. Base.

SIDERANTHUS SPINULOSUS.

SILENE in variety. Face.

THYMUS in variety. Top or toward base.

TUNICA SAXIFRAGA. Toward base.

UMBILLICUS CHRYSANTHUS. Face.

VERBENA ALPINA.

VERBENA BIPINNATIFIDA.

VERONICA in variety.

VIOLAS in variety.

BRIEF LIST OF PLANTS FOR WALL GARDENS IN PARTIAL SHADE

ARENARIA BALEARICA. Face.

AUBRIETIA in variety. Top or face.

CAMPANULAS in variety. Top or face.

ERYTHRAEA DIFFUSA MASSONII.

HYPERICUMS in variety. Top or face.

LEWISIAS in variety. Face.

LINARIA CYMBALARIA. Face.

LOTUS CORNICULATUS.

OXALIS in variety. Face.

POLYGONUM VACCINIFOLIUM.

RAMONDIA PYRENAICA. Face.

SAXIFRAGAS in variety. Face.

SEDUMS in variety.

VERONICA REPENS.

VIOLA ODORATA ROSINA.

THE PERFECT GARDEN LABEL

Ordinary lead pencil markings on this label are permanent without any protection, in all weathers, all soils, all seasons, above or under the soil. Inconspicuous, the beautiful cool grey-green color blends with the soil, foliage, and the rocks. They are economical as the markings can be completely erased with a pencil eraser and label marked again at any time.



12 Labels \$.90 25 Labels 1.75 100 Labels 6.75 •••••• 500 Labels 32.50 1000 Labels BORDER SIZE 12 Labels \$1.00 25 Labels 2.00 100 Labels 7.75 500 Labels 37.50 1000 Labels 75.00

ROCK GARDEN SIZE

POT LABELS

Box of	100	Labels	\$2.50
		TIE-ON LABELS	
Box of	100	Labels	\$3.00

SHOW GARDEN LABELS

12	Labels	 \$1.25
25	Labels	 2.50
100	Labels	 9.50
500	Labels	 45.00
1000	Labels	 90.00

CRONAMERE HUMUS

FOR ROCK GARDENS — GRADE A

Our own preparation to be used in the building of rock gardens as well as top dressing spring and fall.

1 b	ag—100 lbs.		 	\$1.50
10	bags—1000	lbs.	 	10.00

LAWNS — GRADE B

Especially recommended for dry gravelly soils, being high in organic content and retaining moisture during the dry season. Also highly beneficial as a lawn top dressing when worked into the turf as it contains no weed seeds.

1 bag average 80 lbs	\$1.00
10 bags average 80 lbs. each	8.50
1 cu. yd. Bagged	15.00
1—5 cu. vd. Bulk	

Carload 20-40 cu. yd. Bulk. F. O. B. Branchville, Conn. \$5.00 cu. yd.

THE AMERICAN HORTICULTURAL SOCIETY

Publishes for its members a quarterly magazine in which are many articles and pictures of plants that should be known to all rock gardeners. You are cordially invited to join by sending your check for three dollars to the Secretary, Mr. C. C. Thomas, 211 Spruce Street, Takoma Park, D. C.

GARDENERS' CHRONICLE OF AMERICA

Reliable information on all phases of gardening, with special emphasis in each issue on rock gardening, alpine and native plants suitable for the American rock gardens. Published at 522 Fifth Avenue, New York, N. Y. Subscription two dollars a year.

GARDEN DIGEST

We have for several years highly recommended Garden Digest to our customers. It is one of the most useful and interesting magazines. It is pocket size. Just enclose a dollar bill to us or add one dollar to your order and we will see that Garden Digest is sent to you monthly for a whole year.

* * * * *

We recommend "PIONEERING WITH WILDFLOWERS" by George D. Aiken as being a splendid book for those interested in wildflowers. We will send this book postpaid for two dollars.

SUPPLEMENTARY LIST OF ROCK AND ALPINE PLANTS

	3 for
ACERATES—Pumila. An interesting plant with needle-like	
foliage covered with tiny white flowers. Spring. each 25c AJUGA—Tottenhami. Deep red foliage. 4 in. spikes of blue	.65
flowers. A lovely plant. Spring each 40c	1.10
ALLIUM—Eastern Lake County Sp. Lovely pink flowers tinted lavender. Height 4 to 6 in. Summer dozen \$2.00	
ANTIRRHINUM—Glareosum. Profusion of lavender flowers on tiny bronzy foliage. Summer each 50c	1.40
ARTEMISIA—Filifolia (Sagebrush). Silvery foliage forming neat compact clumps. Fine for a low hedge. Summer. ea. 50c	1.40
CERASTIUM—Arvense Compactum. A very compact form with white flowers. Rare and choice. New. Spring. each 60c	1.65
DELPHINIUM	
Nudicaule Lemon Gem. A beautiful form with clear yellow	1 65
flowers. New. Summer each 60c Variegatum. Finely cut foliage. Large lavender-blue flowers.	1.65
Height 14 in. Rare and fine. Spring and early summer. ea. 50c	1.40
DODECATHEON — Meadia. Dwarf Spring bloomer with pale purple Cyclamen-like flowers each 30c	.85
ERYSIMUM—Pumilum. A rare dwarf with rosetted foliage	4.00
and lovely yellow flowers. Summer each 35c	1.00
GEUM—Rivale Leonard's Var. Large nodding flowers of soft rose color. Early summer and again in autumn. Height 12 in each 60c	1.65
GORMANIA—Watsoni. Rosettes of fleshy foliage and golden	1 10
blossoms. Spring and early summer each 40c	1.10
HEDERA—Minima. A very dwarf Ivy with close growing foliage	2.00
HEPATICA	
Acutiloba. Lavender-blue flowers passing into white and rose colored forms. North America. Early spring each 25c Triloba. Blue, rose or white blossoms. Early spring. each 25c	.65 .65
HOUSTONIA—Caerulea. North American plant of creeping	
habit with small pale blue flowers. Spring each 25c IBERIS—Veventosicola. A rare miniature type of Iberis. White	.65
flowers on prostrate stems. A gem. Spring each 50c	1.40
JASIONE—Perennis. Compact heads of bright blue flowers. Height 12 in. All summer each 25c	.65
LINARIA—Aequitriloba. A beautiful paving plant for shade. Tiny lavender flowers. Spring each 50c	1.40
LYCHNIS—Haageana. A fine type with lovely scarlet flowers. Japan. Height 1 ft. Summer each 40c	1.10
MYOSOTIS—Lithospermifolia. Large deep blue flowers. Rare and fine Spring each 50c	1.40

OREOCARYA—Glomerata. Spikes of snowy white flowers.	6.5
Native alpine. Spring each 25c	.65
OROPHACA—Caespitosa. Small tufts of silvery foliage. Lavender blossoms. A native alpine gem. Spring. each 75c	2.00
PULMONARIA—Angustifolia Azurea. Lovely sky-blue flowers	
in early spring. Height 6 in each 40c	1.10
PYRETHRUM—Tchihatchewi, Dense ferny foliage of dark	
green. Daisy-like white flowers on 4 to 6 in. stems during	1 00
spring and summer each 35c	1.00
SAXIFRAGA—Norvegica. Brilliant green foliage and charm-	1.40
ing flowers. Spring each 50c	1.40
SCABIOSA—Parnassii. Compact tufts of grey foliage with	
large pinky mauve flowers. Height 6 in. Summer. each 50c	1.40
SCUTELLARIA	
Alpina. A spreading plant 8 to 12 in, high with large purple	
and white flowers. Summer each 40c	1.10
Indica Japonica. Delicate soft grey foliage and charming blue	- 00
flowers throughout the summer each 75c	2.00
SEDUM	
Acre Minus. A miniature form of S. Acre each 50c	1.40
Semenovi. A rare and unusual type from Turkestan. White	
flowers each 50c	1.40
Spathulifolium Rubrum. Beautiful spathulate foliage of a deep	0.00
red color. Yellow flowers each 75c	2.00
Stribrnyi. A rare species from Bulgaria. Tufts of evergreen foliage and effective yellow flowers each 50c	1.40
SENECIO—Antennarifolius. Silvery foliage with brilliant	1.40
golden blossoms. Spring each 40c	1.10
SOLIDAGO—Cutleri. Miniature Goldenrod. Dainty yellow	1.10
flowers. A lovely dwarf. Summer and early autumn. each 50c	1.40
THERMOPSIS—Rhombifolia. Very broad spikes of golden	
blossoms in May each 25c	.65
THALICTRUM—Minus Purpurascens. A delightful dwarf with	
ferny foliage and charming purple flowers. Spring. each 50c	1.40
THLASPI—Stylosum. A real miniature with charming lavender flowers. Shade. Early spring each 50c	1 40
TOWNSENDIA—Sericea. A tiny miniature of T. Exscapa. Rare	1.40
and fine. Spring each 75c	2.00
TRILLIUM—Grandiflorum. Enormous glistening white flowers.	2.00
Very fine. Spring each 35c	.85
VIOLA	
Cucullata. Beautiful blue flowers. 4 in. Spring each 25c	.65
Flettii. One of the rarest of native Violas. Small bronzy	
leaves; lavender-rose flowers. Spring, early summer. ea. 75c	2.00
Nephrophylla. Heart-shaped leaves and deep blue flowers.	6.5
Native alpine for sun or shade. Spring each 25c Nuttallii. Brilliant golden flowers in early spring each 25c	.65 .65
Silverdale. A rare and charming dwarf which flowers through	.03
the entire year. Close compact foliage. Lovely deep purple	
blossoms with yellow eye each 50c	1.40



JOIN THE AMERICAN ROCK GARDEN SOCIETY

An organization truly North American in scope, which will deal intelligently with the varying climatic conditions in different sections of the country and concern itself with the practical matters of garden construction, plant selections and culture, as well as the esthetic ones of proper design.

Further particulars from Mrs. Dorothy E. Hansell, 522 Fifth Avenue, New York, N. Y.

COPYRIGHT, 1934
CRONAMERE ALPINE NURSERIES, INC.
GREENS FARMS, CONN.